

Specification sheet

S 7000 Prefino

A highlight – for maximum requirements



Variations	Sub-frame	No. of compart ments	Height	Compartment width	Depth
Full height lockers	Feet	1-4	1950 mm	300/400 mm	500 mm
	Plinth	1-4	1950 mm	300/400 mm	500 mm
Double-tier	Feet	1-4	1950 mm	300/400 mm	500 mm
lockers	Plinth	1-4	1950 mm	300/400 mm	500 mm
Assembled box	Feet	1-4	1950 mm	300/400 mm	500 mm
lockers, 3-6 tiers	Plinth	1-4	1950 mm	300/400 mm	500 mm
Z lockers,	Plinth	For 2	1950 mm	600 mm	500 mm
Business-Class		persons			

Construction details:

Carcass Durable sheet steel construction with multi-functional modular system and

overlapping doors. Material thickness 0,88 mm

Spacious body height of 1850 mm (1950 mm incl. feet or base) Body and steel doors electrolytically zinc-plated as a standard

Smooth interior walls – sanitary and easy to clean Compartment sizes can also be retrofitted later

Sub-frame alternatively with feet, base, spacious storage box or bench

Optimum ventilation, alternatively through SVL (self-ventilation), FVL (forced

ventilation), or FVLD concept (forced ventilation with dryer)

Doors Fronts made of steel, optionally HPL with wood decor or enameled glass for an even

more attractive appearance. HPL decor doors available in white, silver gray, birch,

cherry, and wengé or in REAL-wood veneer.

Door opening limiter 90° for outstanding closing characteristics as standard fittings

Interior Wide variety of interior fitting solutions for any requirement

Perforated hat shelf for improved ventilation

Coat rail with 4 double coat hooks and different positioning options for optimum

adaptation to user behavior

Side panels Steel side panels for each visible outer surface is required. Mirror panels are also

available.

Locks Cylinder lock with 2 keys as standard.

Colors C+P standard colors

Options:

Feet Height adjustment through adjustable plastic feet 100 mm high

Plinth Steel plinth, 100 mm. Approx. 60 mm height adjustment

Slanted roof Novel slanted roof (optional)

Bench Possibility for integrated bench, storage box, Ask for more details.

Locks Safety turning bolt latch for padlock,

Cylinder lock with or without master key system

Cylinder locks in moisture-proof design

Coin locks Digilocks

Mechanical combination lock Ask for other locking systems

Accessories Number plates, plastic key rings, wristband for keys, padlocks, additional interior

fittings, different kind of door finish

Details and options:







Steel doors: Double-walled and

insulated, 19 mm thick, offers unlimited color coating options.



Doors with real-wood veneer:

The right choice for sophisticated surroundings.



Numbering and orientation:

Color matching inscriptions and pictograms are available to ensure optimal room orientation and numbering.



Additional space:

The storage box allows you to take advantage of redundant space in the locker.



HPL doors:

Made of high- pressure laminate, 13 mm thick and available in a variety of appealing decors.

Glass doors: Sophisticated door variant made of 8 mm-thick, colourfully enamelled toughened safety glass.

Security compartment

Instead of the hat compartment. Available for compartment widths of 300 and 400 mm.

Sanitary and easy to clean

Thanks to the smooth interior walls and bases, "dirty corners" are a concept unknown to Prefino.