



ENHANCE YOUR
SPACE WITH
OUR DOUBLE
GLAZED DOOR:

SONIK

The 44mm double glazed door from Komfort



AT A GLANCE:

- Introducing Sonik
- Why choose Sonik
- Gallery
- Options
- In Situ
- Engineering Excellence
- Contact

INTRODUCING SONIK

Sonik is our new universal double glazed door that can be integrated with all Komfort partitioning systems. This ready to hang double glazed hinged or pivoted door provides enhanced acoustic performance.

WHY CHOOSE SONIK

- Integration with all Komfort partitioning systems
- Exceeding acoustic guidelines: up to 38dB(Rw)
- Better working environments
- Achieve great design: up to 3m in height
- Fast installation
- Multiple ironmongery options

— **Universal integration:**
The Sonik is universal. It can be integrated with all of the Komfort partitioning systems with either a hinged (Sonik.H) or pivoted (Sonik.P) option.

- Polar Single Glazed
- Polar Double Glazed
- Polar Vision
- Polar 100
- PolarTec
- LS90
- Kameo 75
- Komfire 75
- Komfire 100
- Klassic

— **Better Performance:**

Guidance laid out by the British Council for Offices recommends doors should achieve a minimum acoustic performance of 35dB(Rw) to prevent loud speech being audible. Sonik goes above and beyond this guidance by being certified up to 38dB(Rw).

— **Better working environments:**
The enhanced acoustic performance and design aesthetics of Sonik create better working environments and can help improve productivity, privacy and overall feel good factor.

— **Great design:**

A stylish double glazed door that can achieve up to 3m in height (Sonik.H) and 2.7m[†] (Sonik.P). Using a matching overpanel* enables designers to increase the overall height.

[†] Sonik.P 3m high option imminent.

* Please consult with our technical/sales department for full options.

— **Fast to install:**
The Sonik.H is up to 4 times quicker to install than a traditional timber doorset and is supplied ready to hang. That's a 75% time saving.

— **Choice of ironmongery:**
The Sonik is complemented by a wide variety of ironmongery options, including intelligent wireless access control systems available with no need for an electrician to install.

— Gallery



01. Salto slimline integrated lock and access control.*

02. Slimline lock and cranked handle.*

03. CX lock and standard lever handle in satin stainless steel.

04. Pair of Sonik.P doors with lock and 720mm guardsman handles.

05. Sonik.P doors with integral drop down threshold seal.

06. Sonik.P bottom pivot.

07. Sonik.H bespoke stainless steel hinge.

08. Sonik.H door with a CX lock and standard lever handle into Komfire 75 doorframe and Komfire double glazed partition with integral blinds.

HINGED OPTION

SONIK.H

Sonik.H brings performance and aesthetics together with maximum build height. The unique Sonik hinge is severe duty rated, capable of taking 100kg and is easy to install and maintain.



AT A GLANCE 

 BACK

NEXT 

PIVOTED OPTION

SONIK.P

Sonik.P pivoted doors offer severe duty performance, with the improved aesthetics of a pivot. The pivot is designed to give an engineered look of strength and maintain performance.



HINGED OPTION

SONIK.H

P = POLAR SYSTEMS
 A = ALL SYSTEMS
 * = MUST HAVE LOCKS
 ALL HINGED DOORS ARE AVAILABLE UP TO 3.0M IN HEIGHT

LEVER / LATCH HINGED DOORS
 THRESHOLD SEAL IS OPTIONAL EXTRA

1.1* 1.2* 1.3*

680 D HINGLES
 DASH LOCK
 3 HINGES

680 D HINGLES
 DASH LOCK
 3 HINGES

680 D HINGLES
 DASH LOCK
 3 HINGES

CS LOCK + BACKBOX
 3 HINGES
 AVAILABLE WITH FOLLOWING HINGLES
 WITH 680 DASH LOCKS IN 680 ONLY
ORIS COMMERCIAL
 2000 STRAIGHT LEVER
 2000 STRAIGHT LEVER
 2000 RFD SAFETY LEVER
 2000 RFD SAFETY LEVER
ORIS PREMIER:
 2000R ELIPTICAL LEVER
 2000R ELIPTICAL LEVER
 2000R ELIPTICAL LEVER
 2000R ELIPTICAL LEVER
 ALL 1.2 DOOR OPTIONS ARE AVAILABLE
 WITHOUT LOCKS
 110 - RETURN TO DOOR

SAFETY HANDLE 6800
 ACCESS CONTROL
 3 HINGES

LEVER / LATCH HINGED DOORS + DOOR CLOSERS
 THRESHOLD SEAL IS OPTIONAL EXTRA

2.1* 2.2* 2.3*

680 D HINGLES
 DASH LOCK
 3 HINGES
 DOOR CLOSER

680 D HINGLES
 DASH LOCK
 3 HINGES

680 D HINGLES
 DASH LOCK
 3 HINGES

CS LOCK + BACKBOX
 3 HINGES
 AVAILABLE WITH FOLLOWING HINGLES
 WITH 680 DASH LOCKS IN 680 ONLY
ORIS COMMERCIAL
 2000 STRAIGHT LEVER
 2000 STRAIGHT LEVER
 2000 RFD SAFETY LEVER
 2000 RFD SAFETY LEVER
ORIS PREMIER:
 2000R ELIPTICAL LEVER
 2000R ELIPTICAL LEVER
 2000R ELIPTICAL LEVER
 2000R ELIPTICAL LEVER
 ALL 2.2 DOOR OPTIONS ARE AVAILABLE
 WITHOUT LOCKS
 110 - RETURN TO DOOR

SAFETY HANDLE 6800
 ACCESS CONTROL
 3 HINGES
 DOOR CLOSER

PULL HANDLE DOORS WITH HINGES + DOOR CLOSER
 DOORS 3.1 - 3.5 ARE AVAILABLE AS NON LOCKING OPTIONS
 THRESHOLD SEAL IS OPTIONAL EXTRA

3.1 3.3 3.4 3.5

680 D HINGLES
 DASH LOCK
 3 HINGES
 DOOR CLOSER

680 D HINGLES
 DASH LOCK
 3 HINGES
 DOOR CLOSER

720 HANET STYLE HINGLES
 DASH HORIZONTAL LOCK
 3 HINGES
 DOOR CLOSER

1240 HANET STYLE HINGLES
 DASH HORIZONTAL LOCK
 3 HINGES
 DOOR CLOSER

1760 HANET STYLE HINGLES
 DASH HORIZONTAL LOCK
 3 HINGES
 DOOR CLOSER

680 D HINGLES
 DASH LOCK
 3 HINGES
 DOOR CLOSER

720 HANET STYLE HINGLES
 DASH LOCK
 3 HINGES
 DOOR CLOSER

1240 HANET STYLE HINGLES
 DASH LOCK
 3 HINGES
 DOOR CLOSER

1760 HANET STYLE HINGLES
 DASH LOCK
 3 HINGES
 DOOR CLOSER

HINGED DOUBLE DOORSET MASTER/SLAVE WITH PULL HANDLES + DOOR CLOSERS
 DOORS 3.1D - 3.5D ARE AVAILABLE AS:

3.1D 3.3D 3.4D 3.5D

680 D HINGLES
 DASH LOCK
 3 HINGES
 DOOR CLOSERS

720 HANET STYLE HINGLES
 DASH LOCK
 3 HINGES
 DOOR CLOSERS

1240 HANET STYLE HINGLES
 DASH LOCK
 3 HINGES
 DOOR CLOSERS

1760 HANET STYLE HINGLES
 DASH LOCK
 3 HINGES
 DOOR CLOSERS

HINGED DOUBLE DOORSET MASTER/SLAVE WITH PULL HANDLES + DOOR CLOSERS
 DOORS 3.1D - 3.5D ARE AVAILABLE AS:

3.6D 3.8D 3.9D 3.10D

680 D HINGLES
 DASH LOCK
 3 HINGES
 DOOR CLOSERS

720 HANET STYLE HINGLES
 DASH LOCK
 3 HINGES
 DOOR CLOSERS

1240 HANET STYLE HINGLES
 DASH LOCK
 3 HINGES
 DOOR CLOSERS

1760 HANET STYLE HINGLES
 DASH LOCK
 3 HINGES
 DOOR CLOSERS

-NON LOCKING
 -FLUSH BOLTS ONLY
 -LOCK + FLUSH BOLTS

DOORS 3.6D - 3.10D ARE ONLY AVAILABLE AS LOCKING

THRESHOLD SEAL ARE OPTIONAL EXTRAS

PIVOTED OPTION

SONIK.P

P = ALL POLAR SYSTEMS (EXCLUDING POLAR DGP26 UNTIL FURTHER NOTICE)
 A = ALL SYSTEMS
 ALL PIVOT DOORS ARE LIMITED TO 2.7M IN HEIGHT UNTIL FURTHER NOTICE
 WITH NO EXCEPTIONS

LEVER / LATCH + PIVOT DOORS
 THRESHOLD SEAL IS OPTIONAL EXTRA

5.1 5.2 5.3

680 D HINGLES
 DASH LOCK
 OFFSET PIVOT

880 D HINGLES
 CS LOCK + BACKBOX
 OFFSET PIVOT

680 D HINGLES
 DASH LOCK
 OFFSET PIVOT

CS LOCK + BACKBOX
 OFFSET PIVOT
 AVAILABLE WITH FOLLOWING HINGLES
 WITH 880 DASH LOCKS IN 680 ONLY
ORIS COMMERCIAL:
 2000 STRAIGHT LEVER
 2000 STRAIGHT LEVER
 2000 RFD SAFETY LEVER
 2000 RFD SAFETY LEVER
ORIS PREMIER:
 2000R ELIPTICAL LEVER
 2000R ELIPTICAL LEVER
 2000R ELIPTICAL LEVER
 2000R ELIPTICAL LEVER
 ALL 5.2 DOOR OPTIONS ARE AVAILABLE
 WITHOUT LOCKS
 110 - RETURN TO DOOR

SAFETY HANDLE 6800
 ACCESS CONTROL
 OFFSET PIVOT

PULL HANDLE DOORS + OFFSET PIVOTS

4.1 4.3 4.4 4.5

680 D HINGLES
 HORIZONTAL LOCK
 OFFSET PIVOT

720 HANET STYLE HINGLES
 HORIZONTAL LOCK
 OFFSET PIVOT

1240 HANET STYLE HINGLES
 HORIZONTAL LOCK
 OFFSET PIVOT

1760 HANET STYLE HINGLES
 HORIZONTAL LOCK
 OFFSET PIVOT

DOOR 4.1 - 4.5 ARE AVAILABLE AS NON LOCKING OPTIONS
 THRESHOLD SEAL IS OPTIONAL EXTRA

4.6 4.8 4.9 4.10

680 D HINGLES
 DASH LOCK
 OFFSET PIVOT

720 HANET STYLE HINGLES
 DASH LOCK
 OFFSET PIVOT

1240 HANET STYLE HINGLES
 DASH LOCK
 OFFSET PIVOT

1760 HANET STYLE HINGLES
 DASH LOCK
 OFFSET PIVOT

OFFSET PIVOT DOUBLE DOORSETS MASTER/SLAVE WITH PULL HANDLES
 DOORS 4.1D - 4.5D ARE AVAILABLE AS:

4.1D 4.3D 4.4D 4.5D

680 D HINGLES
 DASH LOCK
 OFFSET PIVOTS

720 HANET STYLE HINGLES
 DASH LOCK
 OFFSET PIVOTS

1240 HANET STYLE HINGLES
 DASH LOCK
 OFFSET PIVOTS

1760 HANET STYLE HINGLES
 DASH LOCK
 OFFSET PIVOTS

OFFSET PIVOT DOUBLE DOORSETS MASTER/SLAVE WITH PULL HANDLES
 DOORS 4.1D - 4.5D ARE AVAILABLE AS:

4.6D 4.8D 4.9D 4.10D

680 D HINGLES
 DASH LOCK
 OFFSET PIVOTS

720 HANET STYLE HINGLES
 DASH LOCK
 OFFSET PIVOTS

1240 HANET STYLE HINGLES
 DASH LOCK
 OFFSET PIVOTS

1760 HANET STYLE HINGLES
 DASH LOCK
 OFFSET PIVOTS


-NON LOCKING
 -FLUSH BOLTS ONLY
 -LOCK + FLUSH BOLTS

DOORS 4.6D - 4.10D ARE AVAILABLE AS LOCKING OPTIONS ONLY

THRESHOLD SEALS ARE OPTIONAL EXTRAS

— Engineering excellence:

As part of our constant research and development we set ourselves the task of creating a better environment by increasing the acoustic performance of the door, an area where sound leakage is common. The result is an engineered high performance severe duty, hinge endurance grade 12, double glazed door that exceeds British Council For Offices guidelines and can be integrated across all of our partitioning systems.



— In Situ: Sonik@Freeman Street Market

New 'digital hub' houses a large meeting room and adaptable conference facilities to provide a professional space for meetings, seminars, interviews, workshops, and community inclusive events.

Partition system: Polar double glazed
Sonik door type: Sonik.H
Architect: JR Architects
Installer: CSI Solutions



Richard Mair, from JR Architects said: **“Specifying Komfort’s partitions at the Freeman Street Market was an easy decision due to their modern, stylish and functional qualities, creating a uniform identity throughout, enhancing the light and sense of space captured by the architecture of the new office suites.”**

Mark Fleming, from Komfort specialist installer CSI Solutions, said: **“Polar was the ideal system for the job, dividing the space into pods and meeting rooms, whilst enhancing the feel of an open plan office due to the clear glazing. Overall, the look and quality of the Komfort products installed at the Hub provide a superior finish.”**

[VIEW FULL CASE STUDY](#)

Contact

For more information on the Sonik range of 44mm double glazed doors:



01403 390300



getintouch@komfort.com



www.komfort.com



© Komfort 2014

