



Introduction

Komfort Architectural Glass is a specialist division of Komfort.

What we do

The Architectural Glass Division offers a complete solution for the design, supply and installation of bespoke glass and structural glass projects as well as a full range of fire rated glazed fire screens.

We work closely with architects and designers to consider all of the performance requirements in each case. We are able to provide specifications to NBS standards where required and advise technically on glass performance and aesthetics.

Specialist managers are available to assist clients with bespoke solutions from initial concept through to installation. As part of our contract services, we offer full construction detailing to suit all situations.

Project management

Komfort has a dedicated project team in place to meet clients needs. A tailored management plan is devised for all projects, allowing every member of the project team to be fully aware of the client's requirements in advance.

Technical support

Komfort provides a comprehensive technical support service, including specification writing, structural analysis and budget advice on project proposals.







Glass Design Types

Bolted Glass Facades

Internal and external frameless glass structures. See pages 6 & 7.



Glass Staircases & Balustrades


Featuring all glass structural systems or with combinations of stainless steel, glass and timber. See pages 8 & 9.



Bespoke Glass Assemblies

Specialist installations including screens, lift shafts and





Glass Canopies & Floors

Framed or frameless bolted glass with stainless or mild steel support structures.

See pages 12 & 13.



Fire Screens

A comprehensive range of glazed firescreens with up to 2 hour fire protection.

See pages 14 & 15.

cladding. See pages 10 & 11.

4 | Komfort Architectural Glass Komfort Architectural Glass | 5

Bolted Glass Facades

Frameless glass supported by a range of bolted mild steel or stainless steel support structures including precision cast spiders. Solutions are available single or double glazed.








Glass Staircases & Balustrades

Glass staircases are designed with stainless or mild steel structures and all glass designs are also available incorporating glass treads and freestanding balustrading.

Design led requirements and bespoke solutions mean any structural glass style can be accommodated and used in conjunction with stainless steel, a wide selection of solid timber or coloured nylon handrailing.

Left: Visually freestanding glass balustrade and applied handrail. Below Left: Nylon system with glass infill.

Below Right: Stainless steel handrail and balustrading with glass infill.





Above: Bolted glass balustrade and staircase built to a design radius.



Above: Timber and stainless steel balustrade with glass infill.

Laminated glass treads and structura glass balustrade.

Bespoke Glass Assemblies

Exterior glazing will always need detailed and considered design specification. In addition to the usual structural performance requirements, consideration should also be given to both thermal control and solar control as well as any necessary weather proofing.

Left: Cantilevered balcony glazing.





Centre Left: Modern glass link bridge complements traditional structure.
Centre Right: Curved and facetted 2 edge supported glazing.
Bottom: Structural glass feature doubles as a central atrium.

Oriel bay windows in structural frameless glass at The Old Bailey, London.

Glass Canopies & Floors

Overhead canopy glazing is normally installed in toughened and laminated glass to meet CWCT recommendations, even where bolted glass connections are specified. Numerous options are available, incorporating mild or stainless steel canopy support structures.

Internal or external glass floors allow light to penetrate deep into the building structure. Glass floor panels are formed using multi ply clear laminates specifically designed to take any necessary load requirements. The glass in this specification type can be surface treated with sand blast, decorative fritted finish, or illuminated with LED or similar lighting to create numerous architectural effects.





Top Left: Overhead glazing on primary steelwork.

Top Right: Underlit laminated glass floor panels with sandblast finish. Above & Left: Bespoke glass entrance and facade on glass fin supports.

Double glazed entrance canopy and automated revolving doors.

Glass to glass butt jointed fire screens offer up to 60 minutes insulation and integrity. 14 Komfort Architectural Glass

Fire Screens

Fire performance requirements don't need to restrict freedom of design. Modern technology permits the use of glass in the most aesthetically sensitive areas without compromising fire safety standards.

Komfort Glazed Fire Screens offers a comprehensive range of fire resistant glazing systems, from the latest silicone butt jointed technology, to the very highest performance timber and steel framed systems, offering up to 2 hours for integrity and insulation.

The Glazed Fire Screens division are specialists in the field of fire resistant glazing, both framed and frameless, and can offer help in developing cost effective solutions to meet the most demanding specification. A team of specialists provide technical support from your initial enquiry through estimating, design, manufacture and site installation, all backed up by relevant BS 476 approvals.

Whatever your requirement, Komfort Glazed Fire Screens can provide

Steel framed fire screens offer a variety of specification options up to 120 minutes if required.



Love the space you're in.



Sales Offices

Head Office - Horsham

Ashurst Broadlands Business Campus Langhurstwood Road Horsham West Sussex RH12 4QP Tel: 01403 390300 Fax:01403 218828

E-mail: general@komfort.com

Leeds

Unit 2

Intermezzo Drive Stourton Link Leeds West Yorkshire LS10 1DF Tel: 0113 395 6565 Fax:0113 395 6566 E-mail: northern-sales@komfort.com

Birmingham

Unit 2 Rabone Park Rabone Lane Smethwick Birmingham B66 2NN Tel: 0121 555 0300 Fax:0121 555 0301

E-mail: midland-sales@komfort.com

Republic of Ireland Tel: +353 (0)1 8532222 Fax:+353 (0)1 8603013 E-mail: info@allied.ie

Southern Sales Counter

Unit 10 Gatwick Distribution Centre Whittle Way Crawley West Sussex RH10 9RT Tel: 01293 577890 (for stock/sales counter enquiries only)

Internet

www.komfort.com

Showrooms

London

14 Bonhill Street London EC2A 4BX Tel: 0207 256 5701

Fax: 0207 374 8649

E-mail: london.showsuite@komfort.com

Leeds

Unit 2 Intermezzo Drive Stourton Link Leeds West Yorkshire LS10 1DF Tel: 0113 395 6565

Fax:0113 395 6566

E-mail: leeds.showsuite@komfort.com

Scotland

The Skyhouse 18 Elliot Place Glasgow G3 8EP

Tel: 0113 395 6565 Fax:0113 395 6566

E-mail: scotland.showsuite@komfort.com

