
#### The evolution of a classic: S 3000 EVOLO

The difference lies in the details! Evolo offers much more than you expect. Smart and sophisticated features – that's typical of C+P:

- Good ventilation and drying thanks to Evolo self-ventilation concept
- Increased burglar-proof design thanks to extremely warp resistant doors with closed profiles on the sides
- Special profile in the body for greater stability and safety as well as easy cleaning and use
- Slim appearance thanks to narrow side edges

   homogeneous also when set up in a row
- Wide range of door designs made of steel or made of MDF and phenolic HPL with attractive wood decors
- Practical interior fitting in the locker and also inside the locker door





### Lockers

Evolo




No more boring changing rooms! Those days are finally over – for Evolo from C+P sets new standards. A consistent design as well as optional MDF or HPL decor fronts also make applications interesting whose requirements cannot be met by conventional lockers. Attractive appearance with an excellent price-performance ratio: that is what Evolo from C+P, the market leader in steel furniture, stands for.

Evolo offers many visual added values thanks to the tasteful exchangeable decor door fronts. The doors can even be replaced later. In addition to appearance, the range features intelligent technology such as the unique drying and ventilation concept.

> For additional furnishing examples from a market leader, please see the Evolo product series brochures or our website at www.cp.de/evolo

### The multi-talented one: S 3000 EVOLO

For additional furnishing examples from a market leader, please see the Evolo product series brochures or our website at www.cp.de/evolo





#### The Evolo ventilation concept:

It ensures effective ventilation and drying of clothing with steel doors. Thanks to its air flow behavior, it works without additional ventilation equipment. Ventilation of the entire interior is guaranteed, even in steel lockers with a base (see diagram)!

The ventilation openings in the back of the locker base ensure optimum air circulation and drying in the compartment (see diagram). In lockers with bases, ventilation is ensured via openings above the recessed base.

Increased anti-burglary protection thanks to extremely warp resistant doors! This is ensured by closed profiles on the sides. The doorstop silencers are a standard feature.





New door opening limiter 90°: Made from special heavy-duty, plastic-coated stainless steel cable.





### Custom-made for specific applications.





Ergonomically designed safety turning bolt latch: For lock bolt size 6-8 mm, with standard door protection against door damage caused by the padlock.



Feet made of plastic for optimum corrosion protection: They consistently underpin the linear design and have a protective sleeve that covers the adjusting screw when the optional height adjustment is used. An ingenious feature!

### Lockers





**Optional integration of numbering:** With self-adhesive film in the embossed label holder (optional).



Exchangeable fronts: (can also be retrofitted!) Choice of steel or decor doors (MDF or phenolic HPL). Door opening limiters are a standard feature with decor doors.



**C+P double coat hooks:** Oval special changing room rail with twist-proof double sliding hooks. Can support a large load and is very easy to use.



Easy-to-clean ventilation hole pattern: Thanks to the smooth outer front (no protruding louvers).




#### The S 3000 Evolo series offers:

- Increased anti-burglary protection thanks to extremely warp-resistant doors and a special profile on the body interior – for high stability and an easy, convenient way to remove clothing
- Sturdy steel construction with high-quality enamel coating
- 2 compartment widths, 5 different box heights
- Sub-frame alternatively with feet, base, storage box, or bench
- Ventilation ensured by EVL (Evolo Ventilation Concept)
- Doors hinged right, borne on hinge pins, with easy-to-clean hole pattern and embossed label holder for optional integration of numbering
- Convenient doorstop silencers for pleasant closing behavior



Lockers with fe on feet 150 mm high, Clear opening dimension 1600 x 245/345 x 465	depth 500 mm. ions per door:					
1. Dimensions and	Width	300	400	600	800	
door material	Height	1850	1850	1850	1850	
	Compartments	1 x 300	1 x 400	2 x 300	2 x 400	
Steel doors	CSC	2	3	4	5	
	Order no.	49010-10	49010-12	49010-20	49010-22	
	Price					








#### Lockers




- Decor doors (MDF and phenolic HPL) as standard with door opening limiter 90° made from special heavy-duty, plastic-coated stainless steel cable
- Elegant, slim sides create a uniform appearance when set up in a row (no wide strips at the locker joints)
- Exchangeable front concept with steel, phenolic HPL, or MDF decor doors, can also be retrofitted
- Interior is easy to clean because compartment shelves can be 11 swept out smoothly (models 49030/49040 with cleaning openings)
- Storage shelf with roll-away protection at the back and sturdy 11 wardrobe rail made of oval profile, 3 twist-proof sliding hooks with system holder, e.g. for coat hangers or movable partitions
- Ergonomic safety turning bolt latch for padlock with door protection as practical basic fitting
- Locker feet (e.g. in models 49010) made of plastic = improved corrosion protection!
- Feet in light gray with body color RAL 7035, in black with all other body colors
- Slot-in shoe shelf, can be easily retrofitted by users
- Optimum air circulation due to defined ventilation spaces in front of and behind the storage shelf










www.cp-furniture.com

#### Lockers with bench

Bench slats for models 49030, 49040 and 49050 made of hard beechwood as standard, approx. 60 x 35 mm in side-face, planed on all sides, rounded at the top, finished with clear varnish, with natural color differences. Plastic bench slats are available at no additional charge. Standard color of the bench underframes: black gray RAL 7021. Benches with adjustable floor gliders for easy level adjustment (10 mm). Locker and bench are delivered separately for easy DIY assembly.

Bench height: 420 mm Bench depth: 315 mm Locker depth: 500/815 mm

For general description of the lockers see page 56/57.



Body color (see end of catalog for color overview) Please choose .....

Ordering steps:

58

+ Addtl. charge

1. Dimensions and door material

487


Door color

Please choose ...... 487

+ Options

Door color (door decor for MDF or phenolic HPL design if applicable)

### Lockers







Order no. 49040-30 + 49130-750 (MDF decor doors)



## Lockers with pairs of doors closing in the middle

For joint lock of two compartments to be used by one person, for example for storing **street clothes and work clothing**, storage shelf, continuous through 2 compartments. Bench slats for models 49032 and 49042 made of hard beechwood as standard, approx. 60 x 35 mm in side-face, planed on all sides, rounded at the top, finished with clear varnish, with natural color differences. Bench slats made of plastic in light gray, blue gray, or black gray available for no additional charge. Standard color for bench bases: Black gray RAL 7021. Benches with adjustable floor gliders for easy level adjustment (10 mm). All doors with turning bolt latch for padlock use. Locker and bench are delivered separately for easy DIY assembly.

For general description of the lockers see page 56/57.

Lockers with benches Bench height: 420 mm Bench depth: 315 mm Locker depth: 500/815 mm



Order no. 49022-20

Lockers with fe on feet 150 mm high, c Clear opening dimensio 1600 x 245/345 x 465 r	lepth 500 mm. ns per door:			
Dimensions and	Width	600	800	1200
door material	Height	1850	1850	1850
	Compartments	2 x 300	2 x 400	4 x 300
	for no. of persons	1	1	2
Steel doors	CSC	4	5	6
7	Order no.	49012-20	49012-22	49012-40
	Price			

#### Lockers with base

on base 100 mm high, depth 500 mm. Clear opening dimensions per door: 1600 x 245/345 x 465 mm (H x W x D)





			4	$\mathbf{V}$
Dimensions and	Width	600	800	1200
door material	Height	1800	1800	1800
	Compartments	2 x 300	2 x 400	4 x 300
	for no. of persons	1	1	2
Steel doors	CSC	4	5	6
	Order no.	49022-20	49022-22	49022-40
	Price			
MDF decor doors	Thickness 18 mm + Order no. + Addtl.charge	+ 49120-750	+ 49122-750	+ 49140-750
HPL decor doors	Thickness 13 mm			
	+ Order no.	+ 49120-730	+ 49122-730	+ 49140-730
	+ Addtl. charge			

+ Options



#### Lockers

Bench slats made of plastic Light gray Blue gray Black gray + 8000-7035 + 8000-7031 + 8000-7021 + Order no. + Addtl. charge

#### Order no. 49032-40

Lockers with bench in front on feet 150 mm high, with doors reduced in size, dept Clear opening dimensions p 1315 x 245/345 x 465 (H x	h 500 mm. Der door:			
Dimensions and	Width	600	800	1200
door material	Height	1850	1850	1850
	Compartments	2 x 300	2 x 400	4 x 300
	for no. of persons	1	1	2
Steel doors	CSC	4	5	6
	Order no.	49032-20	49032-22	49032-40
	Price			

#### Lockers with lowered bench underframe

with doors reduced in size, depth 500 mm. Clear opening dimensions per door: 1315 x 245/345 x 465 (H x W x D)





< ~

61

1. Dimensions and	Width	600	800	1200
door material	Height	1850	1850	1850
	Compartments	2 x 300	2 x 400	4 x 300
	for no. of persons	1	1	2
Steel doors	CSC	4	5	6
	Order no.	49042-20	49042-22	49042-40
	Price			
+ MDF decor doors	Thickness 18 mm + Order no. + Addtl.charge	+ 49120-750	+ 49122-750	+ 49140-750
+ HPL decor doors	Thickness 13 mm			
	+ Order no.	+ 49120-730	+ 49122-730	+ 49140-730
	+ Addtl. charge			
Accessories  Additional fittings loc	ks	81 - 85	Shoe rack     for models 49032	

MDF = medium-density fiberboard HPL = high-pressure laminate

www.cp-furniture.com

# Lockers with pairs of doors closing in the middle


For joint lock of two compartments to be used by one person, for example for storing **street clothes and work clothing**, Storage shelf, continuous through 2 compartments. Bench slats for models 49052 made of hard beechwood as standard, approx. 60 x 35 mm in side-face, planed on all sides, rounded at the top, finished with clear varnish, with natural color differences. Bench slats made of plastic in light gray, blue gray, or black gray available for no additional charge (standard color light gray). Standard color of the bench bases: Black gray RAL 7021. Benches and box with adjustable floor gliders for easy level adjustment (10 mm). All doors with turning bolt latch for padlock use. Locker and bench are delivered separately for easy DIY assembly.

For general description of the lockers see page 56/57.

Models 49052 Bench height: 420 mm Bench depth: 315 mm Locker depth: 500/815 mm Models 49056 Bench height: 452 mm Bench depth: 315 mm Locker depth: 500/815 mm



Order no. 49052-40









**Practical storage box** for shoes, helmets, bags, etc. This allows the storage space under the seat to be used optimally - not to mention easy cleaning!



The seat made of solid beech wood (optional available in phenolic HPL also) also serves as a flap and can be opened only by the owner of the locker.

Order no. 49056-40

underneath Depth 500 mm. Seat m Clear opening dimensic 1600 x 245/345 x 465				
Dimensions and	Width	600	800	1200
door material or seat material	Height	2090	2090	2090
	Compartments	2 x 300	2 x 400	4 x 300
	for no. of persons	1	1	2
Steel doors	CSC	4	5	6
	Order no.	49056-20	49056-22	49056-40
	Price	49090-20	45050-22	45050-40
MDF decor doors	+ Order no. + Addtl.charge	+ 49120-750	+ 49122-750	+ 49140-750
	+ Order no. + Addtl.charge	+ 49120-730	+ 49122-730	+ 49140-730
Seat made of phenol	Thickness 13 mm + Order no.	+ 495620-730	+ 495622-730	+ 495640-730
<b>Body color</b> (see end of catalog for	+ Addtl. charge	3.	<b>Door color</b> (door decor for MDF or phenolic H	HPL design if applicable)
Accessories	Please choose	Ŧ	shoe rack	ase choose
Additional fittings, loc	<s< td=""><td> 81 - 85</td><td>for models 49052</td><td></td></s<>	81 - 85	for models 49052	

### Lockers with one door over two compartments

for storing **street clothes and work clothing**. Bench slats for models 49250 made of hard beechwood as standard, approx. 60 x 35 mm in side-face, planed on all sides, rounded at the top, finished with clear varnish, with natural color differences. Bench slats made of plastic in light gray, blue gray, or black gray available for no additional charge (standard color light gray). Standard color of the bench bases: Black gray RAL 7021. Benches with adjustable floor gliders for easy level adjustment (10 mm). One door with turning bolt latch locks two compartments at the same time. Storage shelf to the left and right of the inside partition, sturdy wardrobe rail made of oval profile and 3 twist-proof sliding hooks. Locker and bench are delivered separately for easy DIY assembly.

For general description of the lockers see page 56/57.

Lockers with benches Bench height: 420 mm Bench depth: 315 mm Locker depth: 500/815 mm






Order no. 49220-40


 $\rightarrow$ 

Lockers with fe on feet 150 mm high, c Clear opening dimensio 1600 x 245 x 465 mm (	epth 500 mm. ns per door:		
Dimensions and door material	Width	600	1200
door material	Height	1850	1850
	Compartments	2 x 300	4 x 300
	for no. of persons	1	2
Steel doors	CSC	4	6
	Order no.	49210-20	49210-40
	Price		









#### Multi-purpose lockers

#### Laundry and storage lockers Doors with turning bolt latch, shelves not height adjustable. For general description of the lockers see page 56/57. Order no. 49020-20B Order no. 49022-20B Order no. 49222-20B Lockers with feet on feet 150 mm high, depth 500 mm **Dimensions and** Width 600 600 800 600 800 door material Height 1850 1850 1850 1850 1850 2 x 400 Compartments 2 x 300 2 x 400 2 x 300 1 x 600 with doors closing with individually lockable with doors closing Description doors (both hinged right) in the middle (joint lock) in the middle without partition, 4 full-width shelves, (2-bolt latch) Steel doors CSC 4 5 4 5 4 Order no. 49010-20B 49010-22B 49012-20B 49012-22B 49212-20B Price Lockers with base on base 100 mm high, depth 500 mm **Dimensions and** Width 600 800 600 800 600 door material Height 1800 1800 1800 1800 1800 Compartments 2 x 300 2 x 400 2 x 300 2 x 400 1 x 600 Description see above see above see above Steel doors CSC 4 5 4 5 4 Order no. 49020-20B 49020-22B 49022-20B 49022-22B 49222-20B Price Thickness 18 mm Ð MDF decor doors + Order no. + 49120-750 + 49122-750 + 49120-750 + 49122-750 + Addtl. charge Thickness 13 mm Ð HPL decor doors + Order no. + 49120-730 + 49122-730 + 49120-730 + 49122-730 + Addtl. charge

CSC = color surcharge code number

MDF = medium-density fiberboard HPL = high-pressure laminate www.cp-furniture.com



	<b>Lockers with feet</b> on feet 150 mm high, depth 500 mm. Clear opening dimensions per door: 813 x 245/345 x 465 mm (H x W x D)						
1.	Dimensions and	Width	600	800	900	1200	1200
	door material	Height	1850	1850	1850	1850	1850
		Compartments	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300
	Steel doors	CSC	4	5	5	6	6
		Order no. Price	49310-20	49310-22	49310-30	49310-32	49310-40
Ð	MDF decor doors	Thickness 18 mm + Order no. + Addtl.charge	+ 49220-750	+ 49222-750	+ 49230-750	+ 49232-750	+ 49240-750
Ð	HPL decor doors	Thickness 13 mm + Order no. + Addtl.charge	+ 49220-730	+ 49222-730	+ 49230-730	+ 49232-730	+ 49240-730
2.	Body color (see end of ca	alog for color overview) Please choose		3. Door	color (door decor		HPL design if applicable)

### Double-tier lockers

#### Double-tier lockers with turning bolt latch

Lockers, double-tier, 2 compartments on top of one another, 1 door per compartment, sturdy wardrobe rail made of oval profile and 3 twist-proof sliding hooks, doors with turning bolt latch for padlock, decor doors with door opening limiter as a standard fitting.

For general description of the lockers see page 56/57.



Lockers for schools and child care facilities see from page ...... 148





Order no. 49310-22 + 49222-750 (MDF decor doors)

Order no. 49320-30

	Lockers with base on base 100 mm high, de Clear opening dimensions 813 x 245/345 x 465 mm	pth 500 mm. per door:					
1.	Dimensions and	Width	600	800	900	1200	1200
	door material	Height	1800	1800	1800	1800	1800
		Compartments	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300
	Steel doors	CSC	4	5	5	6	6
	1	Order no.	49320-20	49320-22	49320-30	49320-32	49320-40
		Price					
Ð	MDF decor doors	Thickness 18 mm + Order no. + Addtl.charge	+ 49220-750	+ 49222-750	+ 49230-750	+ 49232-750	+ 49240-750
Ŧ	HPL decor doors	Thickness 13 mm + Order no. + Addtl.charge	+ 49220-730	+ 49222-730	+ 49230-730	+ 49232-730	+ 49240-730
Ð	Accessories						

www.cp-furniture.com

C

## Double-tier lockers with turning bolt latches

Lockers, double-tier, 2 compartments on top of one another, 1 door per compartment, sturdy wardrobe rail made of oval profile and 3 twist-proof sliding hooks, doors with turning bolt latch for padlock. Bench slats for models 49350 made of hard beechwood as standard, approx. 60 x 35 mm in side-face, planed on all sides, rounded at the top, finished with clear varnish, with natural color differences. Bench slats made of plastic in light gray, blue gray, or black gray available for no additional charge (standard color light gray). Standard color of the bench bases: Black gray RAL 7021. Benches with adjustable floor gliders for easy level adjustment (10 mm).

Locker and bench are delivered separately for easy DIY assembly.

For general description of the lockers see page 56/57.



The C+P safety turning bolt cannot be overwound because it "spins" when it is closed, thus preventing tampering!


The cylinder lock engages only when the padlock is removed, and the door can be opened simply by turning the knob. For bolt lock size 6-8 mm.

Bench height 420 mm, bench depth 315 mm, locker depth 500/815 mm. Clear opening dimensions per door: 813 x 245/345 x 465 mm

In all Evolo steel lockers as standard!

Lockers with bench underneath





Order no. 49350-30

(H x W x D)	515 X 2+5/5+5 X 405 mm	1	¥ I	1 1		' Ť
Dimensions and	Width	600	800	900	1200	1200
door material	Height	2090	2090	2090	2090	2090
	Compartments	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300
Steel doors	CSC	4	5	5	6	6
	Order no.	49350-20	49350-22	49350-30	49350-32	49350-40
	Price					


+ MDF decor doors	Thickness 18 mm + Order no. + Addtl.charge	+ 49220-750	+ 49222-750	+ 49230-750	+ 49232-750	+ 49240-750
+ HPL decor doors	Thickness 13 mm + Order no. + Addtl.charge	+ 49220-730	+ 49222-730	+ 49230-730	+ 49232-730	+ 49240-730
2. Body color (see end of cat	alog for color overview) Please choose					

+ Shoe rack

for models 48350 ...... 82

#### Combination lockers with turning bolt latches

**Models 49600 with turning bolt latches**, compartment width 400 mm. The ideal solution for offering single-tier and double-tier compartments in the same locker! **Combination cabinets, single- and double-tier.** Single-tier: 1 door per compartment, storage shelf with sturdy wardrobe rail made of oval profile and 3 twist-proof sliding hooks. Double-tier: 2 compartments on top of one another, 1 door per compartment, sturdy wardrobe rail made of oval profile and 3 twist-proof sliding hooks, doors with turning bolt latch for padlock. For bench slats for models 49650, see left. For general description of the lockers see page 56/57.




MDF = medium-density fiberboard HPL = high-pressure laminate


#### **Box lockers**

Doors single-walled smooth, without ventilation hole pattern and without label holders (if required please order additional plastic label holders, order no. 8500-15, page 49). Every door with cylinder lock and 2 keys. The bottoms of the compartments are generally finished in the color of the body. Decor door in Danube maple, Sen ash or Oak Sereno decor with black edge band, with door opening limiter as standard feature.

Note: For publicly accessible lockers, we recommend door opening limiters, see page 77.



### Box lockers



MDF = medium-density fiberboard HPL = high-pressure laminate www.cp-furniture.com **C** 





Clear opening dimensio 295 x 245/345 x 465 n	nm (H x W x D)	Å			
Dimensions and door material	Width	300	400	600	800
	Height	1850	1850	1850	1850
	Compartments	1 x 300	1 x 400	2 x 300	2 x 400
Steel doors	CSC	4	5	6	7
7	Order no.	49010-105	49010-125	49010-205	49010-225
	Price				
MDF decor doors	Thickness 18 mm + Order no. + Addtl.charge	+ 49510-750	+ 49512-750	+ 49520-750	+ 49522-750
HPL decor doors	Thickness 13 mm				
	+ Order no. + Addtl. charge	+ 49510-730	+ 49512-730	+ 49520-730	+ 49522-730

#### Box lockers

#### **Box lockers**

Doors single-walled smooth, without ventilation hole pattern and without label holders (if required please order additional plastic label holders, order no. 8500-15, page 49).


Every door with cylinder lock and 2 keys. The bottoms of the compartments are generally finished in the color of the body. Decor door in Danube maple, Sen ash or Oak Sereno decor with black edge band, with door opening limiter as standard feature.

For general description of the lockers see page 56/57.

#### Note:


For publicly accessible lockers, we recommend door opening limiters, see page 77.







Order no. 49020-325 + 49532-750 (MDF decor doors)



75

Body color

1800

49020-...

see page 73

HPL = high-pressure laminate

www.cp-furniture.com (

### Top lockers

#### **Top lockers**

Doors single-walled smooth, without ventilation hole pattern and without label holders (if required please order additional plastic label holders, order no. 8500-15, page 49).

Compartment width of 400 mm also suitable for motorcycle helmets. **Doors with turning bolt latches.** 



Turning bolt latch standard with door protection




Order no. 49090-30 (top locker)

Order no. 49092-20 (top locker)

Depth 500 mm. Clear o limensions per door: 130 x 245/345 x 465 m					
Dimensions and	Width	300	400	600	800
loor material	Height	500	500	500	500
	Compartments	1 x 300	1 x 400	2 x 300	2 x 400
Steel doors	CSC Order no.	1 <b>49090-10</b>	1 <b>49090-12</b>	2 <b>49090-20</b>	2 <b>49090-22</b>
	Price				
MDF decor doors	Thickness 18 mm				
	+ Order no. + Addtl.charge	+ 490910-750	+ 490912-750	+ 490920-750	+ 490922-750
HPL decor doors	Thickness 13 mm				
	+ Order no. + Addtl. charge	+ 490910-730	+ 490912-730	+ 490920-730	+ 490922-730
op lockers					
vith doors closing in t lepth 500 mm. Clear c limensions per door: 130 x 245/345 x 465 m	opening				
Dimensions and	Width	600	8	00	1200
loor material	Height	500	5	00	500
	Compartments	2 x 300	2 x	400	4 x 300
Steel doors	CSC	2		2	4
	Order no.	49092-20	4909	92-22	49092-40
	Price				


2. Body color (see end of catalog for color overview)







#### Without door opening limiter



- + For specifically assigned compartments
- + More freedom of movement for users
- Forceful over-extension of the door by opening it too far is possible
- Damage to usable space of adjacent locker is possible

#### With door opening limiter 90°

(standard with decor doors)

77

90°

- + Recommended if lockers are frequently used by different persons
- + Prevents forceful over-extension of the door by opening it too far
- + No overlap with usable space of adjacent locker
- Less freedom of movement for users

Door color (door decor for MDF or phenolic HPL design if applicable)
 Please choose .....

MDF = medium-density fiberboard HPL = high-pressure laminate 77

..... 487

#### The open wardrobes offer:

- Sturdy steel construction with high-quality enamel coating
- Steel doors single-walled smooth
- Alternatively: MDF or HPL decor doors in Danube maple, Sen ash or Oak Sereno decor with black edge band
- Plastic label holders optionally available, order no. 8500-15, see page 49
- Each compartment with cylinder lock and 2 keys
- Hat rack and shoe rack in black gray RAL 7021
- The bottoms of the compartments are generally finished in the body color.
- Delivered disassembled with detailed mounting instructions for easy DIY assembly





Order no. 49406-00 + 4940-20 (base)

#### Locker with feet, compartment width 300 mm

On feet 150 mm high, depth 500 mm. Locker consisting of two box lockers, hat shelf and shoe rack made of square profile in between, with 6, 8, or 10 plastic coat hangers in black







Dimensions and door material	Width	1600	1600	1600
door material	Height	1850	1850	1850
	Compartments	2 x 300	2 x 300	2 x 300
	Clear opening dimensions per door (H x W x D):	510 x 245 x 465 mm	375 x 245 x 465 mm	295 x 245 x 465 mm
	Assembled box lockers	3 compartments models 49010-103	4 compartments models 49010-104	5 compartments models 49010-105
	for no. of persons	6	8	10
Steel doors	CSC	6	6	8
	Order no.	49406-00	49408-00	49410-00
	Price			
MDF decor doors	Thickness 18 mm	101000 750		10/100 750
	+ Order no. + Addtl. charge	+ 494060-750	+ 494080-750	+ 494100-750
HPL decor doors	Thickness 13 mm			
HPL decor doors	Thickness 13 mm + Order no.	+ 494060-730	+ 494080-730	+ 494100-730

### Open wardrobes



<b>compartment w</b> On feet 150 mm high, Locker consisting of two hat shelf and shoe rack in between, with 6, 8, o coat hangers in black	depth 500 mm. o box lockers, made of square profile			
Dimensions and	Width	1800	1800	1800
door material	Height	1850	1850	1850
	Compartments	2 x 400	2 x 400	2 x 400
	Clear opening dimensions per door (H x W x D):	510 x 345 x 465 mm	375 x 345 x 465 mm	295 x 345 x 465 mm
	Assembled box lock- ers	3 compartments models 49010-123	4 compartments models 49010-124	5 compartments models 49010-125
	for no. of persons	6		10
Steel doors	CSC	8	8	10
7	Order no.	49406-02	49408-02	49410-02
	Price			
MDF decor doors	Thickness 18 mm			
INDP decor doors	+ Order no. + Addtl.charge	+ 494062-750	+ 494082-750	+ 494102-750
HPL decor doors	Thickness 13 mm			
	+ Order no. + Addtl.charge	+ 494062-730	+ 494082-730	+ 494102-730

CSC = color surcharge code number


MDF = medium-density fiberboard HPL = high-pressure laminate www.cp-furniture.com


C

### Laundry collecting and dispensing lockers

with 4 hanging loops, Packaging unit: 5 pieces	er,					
Design + Order no.	White + 48270-7015			V.		
+ Addtl. charge	+ 48270-7015					
		_				
			-	Order no. 4806	0-205	Order no. 48170-2
Lockers with fe on feet 150 mm high, Attention! Locker witl (order no. 8000-38) no	depth 500 mm h integrated slope	4				
Dimensions and	Width	420	420	810	810	420
design	Height	1850	1850	1850	1850	1850
	Doors	5	10	10	20	1
	Clear opening dimensions	per door 269 x	per door 126 x	per door 269 x	per door 126 x	per swing flap 282 x
	H x W x D Description	251 x 475	251 x 475	295 x 475 ensing lockers	295 x 475	270 x 475 Laundry collecting lockers
		with cen compartmen Compartm	tral door by wh ts can be open ients and centr	ich the entire c ed at once (e.g. al doors with cy ger delivery time	olumn of . for loading). /linder lock	one swing flap at the top in the hinged door, hinged door with cylinder lock and 2 keys. Laundr bag retaining hooks inside
Steel doors	CSC	6	7	8	8	6
	Order no.	48060-105	48060-110	48060-205	48060-210	48070-210
	ase					
Lockers with b on base 100 mm high, Attention! Locker with	h integrated slope					
on base 100 mm high, <b>Attention!</b> Locker witl (order no. 8000-38) nc	h integrated slope It possible					*
on base 100 mm high, <b>Attention!</b> Locker witl (order no. 8000-38) nc <b>Dimensions and</b>	h integrated slope It possible Width	420 1800	<b>420</b>	<b>810</b>	<b>810</b>	<b>420</b>
on base 100 mm high, <b>Attention!</b> Locker wit	h integrated slope It possible	<b>420</b> 1800 5	<b>420</b> 1800 10	<b>810</b> 1800 10	<b>810</b> 1800 20	<b>420</b> 1800
on base 100 mm high, Attention! Locker wit (order no. 8000-38) nc Dimensions and	h integrated slope tr possible Width Height Doors Clear opening	1800 5 per door	1800 10 per door	1800 10 per door	1800 20 per door	1800 1 per swing flap
on base 100 mm high, Attention! Locker wit (order no. 8000-38) nc Dimensions and	h integrated slope t possible Width Height Doors	1800 5	1800 10	1800 10	1800 20	<u>    1800                               </u>
on base 100 mm high, Attention! Locker wit (order no. 8000-38) nc Dimensions and	h integrated slope tr possible Width Height Doors Clear opening dimensions	1800 5 per door 269 x	1800 10 per door 126 x 251 x 475	1800 10 per door 269 x	1800 20 per door 126 x	1800 1 per swing flap 282 x
on base 100 mm high, Attention! Locker wit (order no. 8000-38) nc Dimensions and	h integrated slope t possible Width Height Doors Clear opening dimensions H x W x D	1800 5 per door 269 x	1800 10 per door 126 x 251 x 475	1800 10 per door 269 x 295 x 475	1800 20 per door 126 x	1800 1 per swing flap 282 x 270 x 475
on base 100 mm high, Attention! Locker witi (order no. 8000-38) nc Dimensions and design	h integrated slope it possible Width Height Doors Clear opening dimensions H x W x D Description	1800 5 per door 269 x 251 x 475	1800 10 per door 126 x 251 x 475 see a	1800 10 per door 269 x 295 x 475 above	1800 20 per door 126 x 295 x 475	1800 1 per swing flap 282 x 270 x 475 see above


#### Accessories for lockers





\* longer delivery time possible

MCPB = Melamine coated particle board www.cp-furniture.com



### Additional accessories

#### Wall mount

with additional support bracket, price per compartment

Order no. Price 8000-34

Additional fittings in the locker Shoe tray made of plastic, removable, with bottom spacers



4500-707

#### Padlocks

for turning bolts and safety turning bolts, bolt size approx. 6 mm





Brand lock in brass design with precision cylinder, 2 keys, up to 168,000 different key numbers



High-gloss chrome-plated with number combination, without keys

Order no.

Price





Order no. Price


# Play it safe – with the new standard C+P safety turning bolt






### Accessories for lockers

#### Turning bolt latch and cylinder locks not for assembled box lockers



#### Keys, locks, and wristband for cylinder locks



### Additional accessories for all lockers









\* much longer delivery time, key made of brass

Number plate for easy DIY attachment above the door protection (please specify desired 3-digit numbering!), to be used only in conjunction with door protection, not suitable for coin-operated deposit locks

007

plastic 4400-744



SAFE-O-MAT . 107 + 165 locks .....



**Coin-operated deposit** lock...... 107

Design Order no. Price



4400-742




52 white 53 red 55 blue

#### Accessories for assembled box lockers

#### Turning bolt latch and cylinder locks only for assembled box lockers

Basic design				Optional			
Cylinder lock	Cylinder lock in black with 2 keys Cylinder lock in black cylinder lock in black						Turning bolt latch
						٥	Æ
up to 1000 different key numbers	up to 6000 different key numbers	via master key system <b>with</b> security certificate*	via master key system <b>without</b> security certificate*	up to 1000 different key numbers	via master key system <b>with</b> security certificate*	via master key system <b>without</b> security certificate*	for padlock incl. lock guard
<b>4900-721</b> Standard	4900-723	4900-724	4900-725	4900-7212	4900-7242	4900-7252	4900-718
	design Cylinder lock Up to 1000 different key numbers 4900-721	designCylinder lockCylImage: Cylinder lockImage: Cylinder cylinder mediatedImage: Cylinder lockImage: Cylinder cylinder mediatedImage: Cylinder up to 1000 different key numbersImage: Cylinder cylinder different key numbersImage: Cylinder different key numbersImage: Cylinder cylinder different key numbersImage: Cylinder different key numbersImage: Cylinder different key numbersImage: Cylinder different key numb	designCylinder lockCylinder lock in bl with 2 keysImage: Constraint of the second secon	designCylinder lockCylinder lock in black with 2 keysImage: strain of the	design       Cylinder lock in black with 2 keys       Lock in cy         Cylinder lock       Viamater keys       Lock in cy         Viamater key numbers       Up to 6000 different key numbers       Via master key system with security certificate*       Via master key system vithout security certificate*       Up to 1000 different key numbers         4900-721       4900-723       4900-724       4900-725       4900-7212	design       Cylinder lock in black with 2 keys       Lock in moisture-procession of cylinder lock in black used to cylinder lock in black used to cylinder lock in black         Cylinder lock       Cylinder lock in black with 2 keys       Lock in moisture-procession of cylinder lock in black         With 2 keys       Via master key system with security certificate*       Via master key system vithout security certificate*       Via master key system vith out security certificate*       Via master key system vith security certificate*       Via master key system vith security certificate*         4900-721       4900-723       4900-724       4900-725       4900-7212       4900-7242	designCylinder lockCylinder lock in black with 2 keysLock in moisture-proof design cylinder lock in blackImage: Stress of the stre

#### Keys and wristband for cylinder locks



### Additional accessories for all lockers

Key ring	with	<b>lastic key ring</b> S-hook, Ø 30 mr indicate number		<b>Optional integrated numbering</b> thanks to self-adhesive film in the embossed label holder (please specify from-to numbering and indicate color <sup>21</sup>	for <b>decor</b> doors (MDF and phenolic HPL), please specify from-to numbering
	(1:	134		124	142
Design	black	white	aluminum color	self-adhesive	self-adhesive
Order no. Price	8502-0851	8502-0852	8502-0862	4900-701	4900-749
Number plates	263		<b>Number plates</b> ock area, self-adhesive, ate for easy DIY assemb	ly	<b>Stainless steel number plate</b> self-adhesive, 30 x 50 x 1.0 mm
Please specify numbering	with integrated do 123 x 39 x 1 only suitable for c	.0 mm,	without integrated door protection, 68 x 39 x 1.0 mm, only suitable for cylinder locks		263
Design	plastic	Stainless steel	plastic	Stainless steel	Stainless steel
Order no. Price	4902-0601	4901-0601	4902-0611	4901-0611	8501-06
<sup>2)</sup> 51 black 56 light gray 65 white aluminum	<sup>3)</sup> 51 black 52 white 56 light gray 65 white aluminum	,		www.cp-furniture	e.com

# S 3000 EVOLO for childcare facilities

#### The S 3000 Evolo series offers:

- Increased anti-burglary protection thanks to extremely warp resistant doors
- Sturdy steel construction with high-quality enamel coating
- All compartments are easy to reach for children, making them ideal for use in schools and childcare facilities
- Available in 2 designs with full-length doors and 2 doors on top of one another (double tier)
- Either feet or base as sub-frame
- Doors hinged right, borne on hinge pins, with easy-to-clean hole pattern and embossed label holder for optional integration of numbering
- Convenient doorstop silencers for pleasant closing behavior



with feet

fronts



Order no. 480103-20 (with feet)

on <b>feet</b> 150 mm high, Clear opening dimensio 1105 x 230 x 265 mm	ons per door:			
Dimensions and	Width	610	900	1190
door material	Height	1350	1350	1350
	Compartments	2 x 300	3 x 300	4 x 300
Steel doors	CSC	4	5	6
	Order no.	480103-20	480103-30	480103-40
Contraction of the	Price			
Lockers with full-length doo				
full-length doo on base 100 mm high Clear opening dimensio	, depth 300 mm. ons per door:			
full-length doo on base 100 mm high Clear opening dimension 1105 x 230 x 265 mm Dimensions and	, depth 300 mm. ons per door:	610	900	1190
full-length doo on base 100 mm high Clear opening dimension 1105 x 230 x 265 mm Dimensions and	, depth 300 mm. ons per door: (H x W x D) Width Height	1300	1300	1300
full-length doo on base 100 mm high Clear opening dimensi 1105 x 230 x 265 mm Dimensions and door material	, depth 300 mm. ons per door: (H x W x D) Width			
full-length doo on base 100 mm high Clear opening dimension 1105 x 230 x 265 mm Dimensions and	, depth 300 mm. ons per door: (H x W x D) Width Height	1300	1300	1300
full-length doo on base 100 mm high Clear opening dimensio 1105 x 230 x 265 mm Dimensions and door material	, depth 300 mm. ons per door: (H x W x D) Width Height Compartments	1300 2 x 300	1300 3 x 300	1300 4 x 300
full-length doo on base 100 mm high Clear opening dimensi 1105 x 230 x 265 mm Dimensions and door material	, depth 300 mm. ons per door: (H x W x D) Width Height Compartments CSC	1300 2 x 300 4	1300 3 x 300 5	1300 4 x 300 6
full-length doo on base 100 mm high Clear opening dimensi 1105 x 230 x 265 mm Dimensions and door material	, depth 300 mm. ons per door: (H x W x D) Width Height Compartments CSC Order no.	1300 2 x 300 4	1300 3 x 300 5	1300 4 x 300 6

### Lockers



Order no. 483203-30 (with base)

- Interior is easy to clean because compartment shelves can be swept out smoothly
- Compartments with sturdy wardrobe rail made of oval profile and 3 twist-proof sliding hooks with system holder, e.g. for coat hangers or movable partitions
- Also 1 storage shelf per compartment in models with full-length doors
- Ergonomic safety turning bolt latch for padlock with door protection as practical basic fittings
- Locker feet (e.g. in model 480103) made of plastic = improved corrosion protection!
- Feet in light gray with body color RAL 7035, in black with all other body colors

Door opening Ð limiter 90° Price per door



Design + Order no. + Addtl. charge

900 + 8505-02

<b>2 tiers</b> on <b>feet</b> 150 mm high, c Clear opening dimensior 536 x 230 x 265 mm (H	ns per door:			
Dimensions and	Width	610	900	1190
door material	Height	1350	1350	1350
	Compartments	2 x 300	3 x 300	4 x 300
Steel doors	CSC	4	5	6
	Order no.	483103-20	483103-30	483103-40
	Price			

#### Lockers with 2 tiers

**Dimensions and** 

door material

Steel doors

Lockers with

on **base** 100 mm high, depth 300 mm. Clear opening dimensions per door: 536 x 230 x 265 mm (H x W x D)

Width

Height

CSC

Price

Order no.

Compartments



1300

2 x 300

4

483203-20



900

1300

3 x 300

5

483203-30



 $\sim$ 

1190						
1300						
4 x 300						

6

483203-40



Accessories

# S 3000 EVOLO for elementary schools

### The S 3000 Evolo series offers:

- Increased anti-burglary protection thanks to extremely warp resistant doors
- Sturdy steel construction with high-quality enamel coating
- All compartments are easy to reach for children, making them ideal for use in schools and childcare facilities
- Available in 2 designs with full-length doors and 2 doors on top of one another (double tier)
- Either feet or base as sub-frame
- Doors hinged right, borne on hinge pins, with easy-to-clean hole pattern and embossed label holder for optional integration of numbering
- Convenient doorstop silencers for pleasant closing behavior






fronts



Lockers with full-length door on feet 150 mm high, Clear opening dimensio 1405 x 230 x 465 mm (	depth 500 mm. ns per door:			
Dimensions and	Width	610	900	1190
door material	Height	1650	1650	1650
	Compartments	2 x 300	3 x 300	4 x 300
Steel doors	CSC	4	5	6
-	Order no.	480106-20	480106-30	480106-40
	Price			
				$\frown$
Lockers with		$\sim$		

full-length doo	ors	
on <b>base</b> 100 mm high Clear opening dimensi 1405 x 230 x 465 mm	ons per door:	
1. Dimensions and door material	Width	610
uoor materiai	door material	



#### 2. Body and door color



## Lockers


- Interior is easy to clean because compartment shelves can be swept out smoothly
- Compartments with sturdy wardrobe rail made of oval profile н. and 3 twist-proof sliding hooks with system holder, e.g. for coat hangers or movable partitions
- Also 1 storage shelf per compartment in models with full-length doors
- Ergonomic safety turning bolt latch for padlock with door protection as practical basic fittings
- Locker feet (e.g. in model 480106) made of plastic = improved corrosion protection!
- Feet in light gray with body color RAL 7035, in black with all other body colors

Door opening Ð limiter 90° Price per door



Design + Order no. + Addtl. charge

90° + 8505-02



#### Lockers with 2 tiers

on **base** 100 mm high, depth 500 mm. Clear opening dimensions per door: 686 x 230 x 465 mm (H x W x D)







				$\checkmark$
Dimensions and door material	Width	610	900	1190
door material	Height	1600	1600	1600
	Compartments	2 x 300	3 x 300	4 x 300
Steel doors	CSC	4	5	6
	Order no.	483206-20	483206-30	483206-40
	Price			



1.

Accessories

# Practical details: S 3000 EVOLO

For additional furnishing examples from a market leader, please see the Evolo fire service lockers brochure or our website at www.cp.de/evolo





Foldable helmet holder: made of glass-fiber reinforced plastic, for better protection of the helmet by the curved support and practical folding function for easier removal.



Hook rail on the side: With three additional sliding stainless steel hooks, for example for safety harness, respirator mask, etc.



**C+P double coat hooks:** Oval special changing room rail with twist-proof double sliding hooks. Can support a large load and is very easy to use, with system holder, e.g., for coat hangers or a movable partition.





**Optimum corrosion protection thanks to optional feet made of plastic:** They consistently underpin the linear design and have a protective sleeve that covers the adjusting screw when the optional height adjustment is used. An ingenious feature!





**Security compartment with additional top shelf:** Important details on model 48315: The security compartment door does not project beyond the housing when opened, thus keeping the passageway clear (= safety even during hectic changing situations).



# Fire service lockers





**Step tread with top handle:** For easy access of the helmet holder on top of the locker for shorter people.



Shoe tray: The shoe tray collects dirty water and foreign objects from the bottom of shoes and protects the locker from damage. Cleaning is no problem thanks to its easy removal.



**Special combination lock:** With scrambling and master key function to keep valuables and personal items safely locked away.



# S 3000 EVOLO

## The S 3000 Evolo fire service lockers offer:

- Sturdy steel construction with high-quality enamel coating
- Choice of different dimensions and compartment widths
- Many sub-frame options customized to specific requirements
- Security compartment (door does not project beyond the housing)
- Combination lock with master key and scrambling function
- Adjustment screws, level adjustable from the inside
- Optional: locker feet made of plastic = increased protection against corrosion of the locker!
- Practical accessories, proven under operating conditions



screws, level

adiustable





security

Special . helmet holder lock foldable compartment



Order no. 48315-13 + 48015-711L (combination lock)



## **Fire service lockers**

optional

**Compartment width 500 mm,** with the following equipment: foldable helmet holder inside on the top right, storage shelf or optionally security compartment inside on the top left. Sturdy wardrobe rail made of oval profile below with 4 twist-proof sliding hooks, hook rail on the side with 3 sliding hooks for safety harness, etc., bottom can be swept out smoothly.

٤

	Internal dimensions of helm 320 x 250 (H x W) Internal dimensions from w to bottom of locker: 1360 x 445 x 565 mm (H x Height 1850 mm Depth 600 mm	ardrobe rail			
1	Dimensions and	Width	520	1010	1500
	design	Compartments	1 x 500	2 x 500	3 x 500
	open compart-	CSC	4	6	8
	ment	Order no.	48315-131	48315-231	48315-331
	Lockers with secu compartment	-		Here Here	The Bar
	with cylinder lock and 2 key lock for additional charge)	ys (combination			
	Interior dimensions of secur 155 x 125 x 320 mm (H x V				
1.	Dimensions and design	Width	520	1010	1500
		Compartments	1 x 500	2 x 500	3 x 500
	with security	CSC	4	6	8
	compartment	Order no.	48315-13	48315-23	48315-33
		Price			

#### Body color (fire red RAL 3000 for no addtl. charge)

Ordering steps:

+ Options



## Fire service lockers

Feet Plastic version, 150 mm high, height-adjustable by approx. 10 mm (4 pieces)



Color	Black
Locker height	2000
+ Order no.	+ 4800-70251
+ Addtl. charge	

Order no. 48215-22 + 4800-70251 (feet made of plastic) + 2x 48015-711R (combination lock)

## **Fire service lockers**

**Compartment width 400 mm,** with the following equipment: security compartment on top, below that phenolic HPL shelf in black with foldable helmet holder. Sturdy wardrobe rail made of oval profile below with 3 twist-proof sliding hooks, hook strip with 3 movable hooks for safety harness, etc. on the side, bottom can be swept out smoothly.

Internal dimensions fro porte-manteau to botto 1130 x 330 x 465 mm Height 1850 mm Depth 500 mm	om of locker:				
Dimensions and design	Width	420	810	1200	1590
design	Compartments	1 x 400	2 x 400	3 x 400	4 x 400
open	CSC	3	5	6	8
compart- ment	Order no.	48215-121	48215-221	48215-321	48215-421
	Price				
Lockers with se compartment with cylinder lock and 2 insertion slot (H 25 x W door (combination lock Interior dimensions of s 200 x 288 x 435 mm (H	2 keys as well as / 195 mm) above the : for additional charge) security compartment: H x W x D)				
<b>compartment</b> with cylinder lock and <i>i</i> insertion slot (H 25 x W door (combination lock Interior dimensions of s 200 x 288 x 435 mm (H <b>Dimensions and</b>	2 keys as well as V 195 mm) above the tor additional charge) security compartment:	420	810	1200	1590
compartment with cylinder lock and 2 insertion slot (H 25 x W door (combination lock Interior dimensions of s 200 x 288 x 435 mm (H Dimensions and design	2 keys as well as / 195 mm) above the : for additional charge) security compartment: H x W x D)	<b>420</b> 1 x 400	<b>810</b> 2 x 400	<b>1200</b> 3 × 400	<b>1590</b> 4 × 400
compartment with cylinder lock and 2 insertion slot (H 25 x W door (combination lock Interior dimensions of s 200 x 288 x 435 mm (H Dimensions and design	2 keys as well as V 195 mm) above the for additional charge) security compartment: H x W x D) Width				
compartment with cylinder lock and 2 insertion slot (H 25 x W door (combination lock Interior dimensions of s 200 x 288 x 435 mm (H Dimensions and design	2 keys as well as 7 195 mm) above the t for additional charge) security compartment: H x W x D) Width Compartments	1 x 400	2 x 400	3 x 400	4 x 400

#### + Accessories

135



#### **Fire service lockers**

192

DIY assembly), one ope	vered separately, for easy n compartment inside ith security compartment itional storage shelf be rail made of oval ist-proof sliding hooks, ith 3 sliding hooks for	150 m height by app	im high, helmet -adjustable	neight 2000 no. + 4800-70251	Y
Total height with helmet holder 2035 n Locker height 1850 m Depth 500 mm			E E	666	e e e e
Dimensions and design	Width	420	810	1200	1590
design	Compartments	1 x 400	2 x 400	3 x 400	4 x 400
open compart- ment	CSC Order no. Price	3 <b>48015-121</b>	5 <b>48015-221</b>	6 <b>48015-321</b>	8 <b>48015-421</b>
Lockers with see with cylinder lock and 2 insertion slot (H 25 x W combination lock for ac Interior dimensions of s 200 x 288 x 435 mm (H	/ 195 mm), dditional charge ecurity compartment:		e e e	8 8 8	6 6 6 6 F
Dimensions and design	Width Compartments	<b>420</b> 1 × 400	<b>810</b> 2 x 400	<b>1200</b> 3 x 400	<b>1590</b> 4 x 400
with security compartment	CSC Order no. Price	3 <b>48115-12</b>	5 <b>48115-22</b>	6 <b>48115-32</b>	8 <b>48115-42</b>
Lockers with se ment and other with cylinder lock and 2 insertion slot (H 25 x W below that open compa combination lock for ac Interior dimensions of s 200 x 288 x 435 mm (h	2 keys as well as 7 195 mm), artments, Iditional charge ecurity compartment:			668	8 8 8 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Dimensions and design	Width	420	810	1200	1590
acsign	Compartments	1 x 400	2 x 400	3 x 400	4 x 400
with security compartment + other compartment	CSC Order no. Price	3 <b>48015-12</b>	5 <b>48015-22</b>	6 <b>48015-32</b>	8 <b>48015-42</b>
		,			
Body color (fire red R	AL 3000 for no addtl. char Please select (see end o		erview)		

1. Dimensions and design

Ordering steps:

2. Body color

+ Options

# Accessories for fire service lockers



Step tread

with additional top handle

Order no. 48115-22 + 4800-70251 (feet made of plastic) + 2x 48015-770 (step tread including handle)

+ 2x 48015-711R (combination lock)



Feet made of plastic



Step tread with top handle and shoe tray





Combination lock





#### Individual helmet holder

Foldable, made of black gray plastic Price per unit

+ Order no.	+ 8501-011
+ Price	

## Master key

for combination lock 48015-711L/R

+ Order no.	+ 48015-713
+ Addtl. charge	

## **Electrolytically zinc-plated**, enamel-coated design

per compartment

Design	zinc-plated
+ Order no.	+ 8000-20
+ Addtl. charge	



### Combination lock in the security compartment

With scrambling option as well as emergency opening and code finding by means of master key

Door hinged	on left	on right
+ Order no.	+ 48015-711L	+ 48015-711R
+ Addtl. charge		

### Shoe tray, black

+ +

made of plastic, for compartments W 400 and 500 mm, easy to adapt, price per compartment

Order no.	+ 4800-707
Addtl. charge	

#### Special coat hanger

+ Order no.

+ Addtl. charge

Special coat hangers with drying function (also for interiors), made of plastic, black, in bulk

- + 8078-713

Special coat hanger



#### The S 3000 Evolo fire service combination locker and fire service wardrobes offer:

- Sturdy steel construction with high-quality enamel coating
- Tried and tested open compartments or locker intermediate parts with well thought-out equipment solutions for professional storage of fire service equipment
- Double-tier compartments with doors for safe storage of street clothes and personal items
- Doors hinged on the right, borne on bolt hinges, shortened at top for slot, valuables compartment on the door inside behind it
- Convenient doorstop silencer for pleasant closing behavior
- Ergonomic safety turning bolt latch for padlock . with door protection as practical basic fittings
- Cabinets and wardrobes level adjustable from the inside thanks to adjustment screws
- Optional: locker feet made of plastic . = increased protection against corrosion of the locker!
- Practical accessories, proven under operating conditions



Order no. 48615-000 + 4800-70251 (feet made of plastic) + 2x 48015-770 (step tread including handle)

Doors shortened at the top for slot



Special coat hanger

Fire service combination locker

Open compartments, compartment width 400 mm, with the following equipment: foldable helmet holder and shelf inside at the top. Sturdy wardrobe rail made of oval profile below with 2 twist-proof sliding hooks and 2 special coat hangers, hook rail on the side with 3 sliding hooks for safety harness, etc., bottom can be swept out smoothly

Closed double-tier compartment, compartment width 300 mm, with the following equipment: Doors shortened at top for insertion, safe behind on the inside of the door and sturdy wardrobe rail made of oval profile with 3 twist-proof sliding hooks.

Internal height of the helmet compartment: 300 mm Clear opening dimensions per door:

Body and door color (fire red RAL 3000 for no addtl. charge)

813 x 230 x 465 mm (H x W x D)

#### Height 1850 mm, depth 500 mm

Width	1100
for people	2
CSC	6
Order no.	48615-000
Price	
	for people CSC Order no.



## Fire service wardrobes



#### Fire service wardrobes

+ Feet

Color

Locker height

+ Order no. + Addtl. charge

Plastic version, 150 mm high, height-adjustable by approx. 10 mm, additional charge

per locker (4 pieces)

**Double-tier lockers, compartment width 300 mm,** with the following equipment: Doors shortened at the top for slot, behind that collection box on the door inside, sturdy wardrobe rail made of oval profile with 3 twist-proof sliding hooks.

Black

2000

+ 4800-70251

**Locker intermediate parts** see description in the chart

1.

Clear opening dimensions per door: 1600/813 x 230 x 465 mm (H x W x D)

Height 1850 mm, depth 500 mm





+ 2x 4800-70251 (feet made of plastic)

Dimensions and	Width	1260	1880	
design	for people	2	4	
Description of the lockers		<ul> <li>2x locker and locker intermediate</li> <li>parts with the following equipment:</li> <li>2 foldable helmet holders and</li> <li>1 shelf at the top, below that</li> <li>1 wardrobe rail with 2 special coat</li> <li>hangers and 2 hooks,</li> <li>1 zinc-plated shoe shelf at the bottom</li> </ul>	<ul> <li>2x locker double-tier and locker intermediate parts with the following equipment:</li> <li>4 foldable helmet holders and</li> <li>1 shelf at the top, below that</li> <li>1 wardrobe rail with 4 special coat hangers and 4 hooks,</li> <li>1 zinc-plated shoe shelf at the bottom</li> </ul>	
Steel doors	CSC	6	б	
	Order no.	48415-012	48415-024	
	Price			

#### 2. Body and door color (fire red RAL 3000 for no addtl. charge)

	•	<b>3</b> ,	
_		Please select (see end of catalog for color overview)	ļ

#### + Additional accessories

r -			
	Upgrade available, individual helmet holder, shoe tray	193	



C

# S 3000 EVOLO

# Laundry collecting and dispensing lockers

Laundry bags made of 100% polyest with 4 hanging loops, Packaging unit: 5 pieces	er,					
Design	White					
+ Order no.	+ 48270-7015					
+ Addtl. charge				Order no. 4806	0-205	Order no. 48170-2
Lockers with fe on feet 150 mm high, Attention! Locker with (order no. 8000-38) no	depth 500 mm n integrated slope					
Dimensions and design	Width	420	420	810	810	420
design	Height	1850	1850	1850	1850	1850
	Doors Clear opening	5 per door	10 per door	10 per door	20 per door	1 per swing flap
	dimensions H x W x D	269 x 251 x 475	126 x 251 x 475	269 x 295 x 475	126 x 295 x 475	282 x 270 x 475
	Description	compartmen Compartm	tral door by wh ts can be open inents and centr	ensing lockers hich the entire c ed at once (e.g. al doors with cy ger delivery time	olumn of for loading). 'linder lock	Laundry collecting lockers one swing flap at the top in the hinged door, hinged door with cylinder lock and 2 keys. Laundr bag retaining hooks inside
Steel doors	CSC	6	7	8	8	6
	Order no. Price	48060-105	48060-110	48060-205	48060-210	48070-210
Lockers with ba on base 100 mm high, Attention! Locker with (order no. 8000-38) no	depth 500 mm integrated slope					
Dimensions and design	Width	420	420	810	810	420
acsign	Height	1800	1800	1800	1800	1800
	Doors Clear opening	5 per door	10 per door	10 per door	20 per door	1 per swing flap
	dimensions	269 x	126 x	269 x	126 x	282 x 270 x 475
	H x W x D Description	251 x 475	251 x 475 see a	295 x 475 above	295 x 475	see above
Steel doors	CSC	6	7	8	8	6
	Order no.	48160-105	48160-110	48160-205	48160-210	48170-210
	oraci noi					




### The S 3000 Evolo laptop lockers offer:

- The solution for the secure and space-saving storage of 10 or 20 laptops, notebooks, or tablets
- Optionally with power connection in each compartment (installation position always on the left, incl. cabinet connection cable)
- Sturdy steel construction with high-quality enamel coating
- Sub-frame alternatively with feet or base
- Door mounted on a sturdy swivel-rod hinge on the right
- Each door with cylinder lock and 2 keys
- Convenient doorstop silencers for pleasant closing behavior

Sub-frame Sub-frame with feet with base

Steel fronts Electrification (optional)




on feet 150 mm high, depth 500 mm.	
Clear opening dimensions per door:	
148 x 330 x 478 mm (H x W x D)	

Lockers with feet

			w the
1. Dimensions and	Width	420	810
design	Height	1850	1850
	Compartments	1 x 400	2 x 400
	Compartments	10	20
Steel doors	CSC	6	8
	Order no.	48010-1210	48010-2210
	Price		

Lockers with base on base 100 mm high, dept Clear opening dimensions p 148 x 330 x 478 mm (H x V	th 500 mm. er door:		
1. Dimensions and	Width	420	810
design	Height	1800	1800
	Compartments	1 x 400	2 x 400
	Compartments	10	20
Steel doors	CSC	6	8
	Order no. Price	48020-1210	48020-2210
+ Electrification of all compartments*			
Each compartment with	+ Order no.	+ 4800-1210	+ 4800-2210
1 earthed socket 230V	+ Addtl. charge		



+ Accessories

Additional fittings,	locks	81 -	85
5.			