For maximum requirements: S 7000 PREFINO

There are tasks that only specialists can handle. Furnishing changing rooms, for example. Where the crucial bit of extra space, functionality, and design is needed - that's where Prefino comes into play:

- Extra-large locker capacity for more storage space
- Special interior fittings for practical and orderly lockers
- Absolutely sanitary thanks to smooth interior walls and bases
- Optimum use of space and interior design thanks to versatility and reconfiguration options
- Double-walled design for interior lighting, safe and clean online locking systems, and much more
- Body and steel doors electrolytically zinc-plated as a standard







Phenolic HPL decor

The durable system body made of steel (alternatively stainless steel or aluminum) is the ideal basis for creative door variants in different materials.

For additional furnishing examples from a market leader, please see the Prefino product series brochures or our website at www.cp.de/prefino



Lockers







Real-wood veneer

Glass with printed motifs

Phenolic HPL with vectogram



Prefino offers countless customization options.

We look forward to your project-specific inquiry and will gladly provide you with an offer tailored to your specific needs.





Have a seat!

Depending on a building's design, a variety of different sub-frames can be utilized with locker systems. Prefino is flexible - and therefore well equipped for any challenge.

In addition to the classic foot and base designs, integrated bench solutions are becoming more and more commonplace. Be it overhanging benches on an existing base, benches built in front with shorter doors, or benches with storage boxes underneath: Prefino is the best choice for an ideal outcome.

All of the sub-frames shown here are very easy to clean, in part thanks to the clear-cut corner solutions. For you, this means extraordinarily sanitary conditions and simple, fast, and therefore cost-effective cleaning. Furthermore, the option with storage boxes underneath offers additional space that has generally gone unused - a true added benefit for visitors.

We look forward to your project-specific inquiry.




Bench with storage box underneath: The bench surface serves as a lid that can be opened only by the user of the locker. It ensures that bags, helmets, and other items can be stored comfortably and removed easily.

A clean solution.

In areas with high hygiene requirements (such as the food industry), locker systems have to meet special demands. The connection to existing ventilation and extraction systems also requires a professional solution.

Lockers





Benches in front with phenolic HPL seat: This version as well as the variant with storage box underneath can also be retrofitted on request.



Swing-over bench This bench serves as the transition from the contaminated area to

the clean space. Street shoes remain on the contaminated side.

In addition, this also requires suitable supplementary products, such as swing-over benches, over which employees move from the "contaminated area" to the "clean area". C+P offers the perfect range for these furnishing tasks.



111

The highlight: S 7000 PREFINO



Smooth interior walls - and endless possibilities behind them

Sanitary and easy to clean

Thanks to the smooth interior walls and bases, "dirty corners" are a concept unknown to Prefino. The double walls offer a safe installation space for interior lighting, online locking systems, ventilation and extraction systems, and much more - a novelty on the market!



The Prefino ventilation concept

Drying and ventilation play a major role in locker design. In Prefino lockers, the optimized air flow design allows clothing to dry much faster than in conventional lockers. It offers options ranging from the effective self-drying concept (SVL) all the way to forced ventilation with an integrated dryer. (See illustration)





The allrounder for special furnishing needs.



Steel doors: Double-walled and insulated, 19 mm thick, offers unlimited color coating options.



Phenolic HPL doors: Made of high-pressure laminate, 13 mm thick and available in a variety of appealing decors.



Glass doors: Made of colored, enameled safety glass, 8 mm thick, for a particularly classy design.



Labeling and orientation: Customized numbering and pictograms (monitors integrated in the glass or mirror panel on request).

Lockers





Lockers 114







Box lockers 118





Glass shelves: Made of safety glass, 8 mm thick, as an elegant and stylish solution for the interior.



Monitor and LED lighting: Can be integrated behind the attractive mirror panels.







All common mechanical and electronic locking systems can be integrated in Prefino: From turning bolt latches to coin-operated locks to electronic online locking systems with central display, which also provides information about the free and occupied lockers.



The S 7000 Prefino series offers more:

- Sturdy steel construction with multi-functional modular system, overlay doors and high-quality enamel coating
- Spacious body height of 1850 mm (1950 mm incl. feet or base)
- Body and steel doors electrolytically zinc-plated as a standard
- Fronts made of steel, optionally phenolic HPL with wood decor or enameled glass for an even more attractive appearance
- Double-walled design for high stability
- Smooth interior walls sanitary and easy to clean
- Compartment sizes can also be retrofitted later
- Door opening limiter 90° and doorstop silencers for outstanding closing characteristics as standard fittings
- Cylinder lock with 2 keys


Novel slanted roof (optional)

- Perforated storage shelf for improved ventilation
- Sturdy wardrobe rail made of oval profile with 4 twist-proof double coat hooks and different positioning options for optimum adjustment to user behavior
- Wide variety of interior fitting solutions for any requirement
- Sub-frame alternatively with feet or base as well as with spacious storage box or bench on request
- Optimum ventilation, alternatively through SVL (self-ventilation), FVL (forced ventilation), or FVLD concept (forced ventilation with dryer)
- Glass doors always supplied in disassembled state for safe transportation



A	Lockers with full-length doors on feet 100 mm high, dep Clear opening dimensions 1810 x 262/362 x 478 mm each compartment with st wardrobe rail and 4 hooks	oth 525 mm. per door: n (H x W x D), orage shelf,					
1.	Dimensions and door material	Width	300	400	600	800	
		Height	1950	1950	1950	1950	
	Steel doors	Compartments	1 x 300	1 x 400	2 x 300	2 x 400	
		CSC Order no.	2 46110-10	3 46110-12	4 46110-20	5 46110-22	
		Price	46110-10	40110-12	40110-20	46110-22	
		Thee					
Ð	HPL decor doors	Thickness 13 mm + Order no. + Addtl.charge	+ 46110-730	+ 46112-730	+ 46120-730	+ 46122-730	
Ð	Glass doors	Thickness 8 mm + Order no. + Addtl.charge	+ 46110-750	+ 46112-750	+ 46120-750	+ 46122-750	
	Body color (see end of ca	talog for color overview)		Steel side panel	11. and	1050	
2.		Please choose		Can be used for	Height Depth	1850 500	
				B right or left side. One panel required		1	
3	Door color (door decor for	ohenolic HPL design + glass	colors if applicable)	for each visible	+ Order no.	+ 4600-716	
		Please choose	1.1	outer surface per row of lockers.	+ Addtl. charge		
Ð	Accessories Additional fittings, locks .			•			
114	Ord	ering steps: 1. Dimen	sions and door material	2. Body color	Door color	Options	

Lockers





Order no. 46120-30 + 46130-730 (phenolic HPL decor doors in Oak Sereno) + 4600-716 (steel side panel)




Order no. 46110-20 + 4600-716 (steel side panel)

CF

1.	900	120		1200
	1950 3 x 300	195 3 x 4	·	1950 4 x 300
	5			
	5 46110-30	6 46110	-32	6 46110-40
_				
Ð	+ 46130-730	+ 46132	2-730	+ 46140-730
÷	+ 46130-750	+ 46132	2-750	+ 46140-750
	Đ	Base instead of feet, steel design, 100 mm high, approx. 60 mm height adjustment	Color (standard) Locker height Order no. + Addtl.charge	Black gray RAL 7021 1950 2



Double-tier lockers






1.	800		900	1200	1200
	1950		950	1950	1950
	2 x 400	3 :	x 300	3 x 400	4 x 300
	5		5	6	6
	46210-22	462	210-30	46210-32	46210-40
Đ	+ 46122-730	+ 467	130-730	+ 46132-730	+ 46140-730
Đ	+ 46222-750	+ 462	230-750	+ 46232-750	+ 46240-750
Đ	Base instead of feet, steel design, 100 mm high, approx. 60 mm height adjustment	Color (standard) Locker height Order no. + Addtl. charge	Black gray RAL 7 1950 2	021	



A Lockers with 3 t on feet 100 mm high, o Clear opening dimension 590 x 262/362 x 478 m without interior fittings	depth 525 mm. ns per door:					
1. Dimensions and door material	Width	300	400	600	800	
door material	Height	1950	1950	1950	1950	
	Compartments	1 x 300	1 x 400	2 x 300	2 x 400	
Steel doors	CSC	3	4	5	6	
	Order no. Price	46310-10	46310-12	46310-20	46310-22	
+ HPL decor doors	Thickness 13 mm + Order no. + Addtl.charge	+ 46110-730	+ 46112-730	+ 46120-730	+ 46122-730	
+ Glass doors	Thickness 8 mm + Order no. + Addtl.charge	+ 46310-750	+ 46312-750	+ 46320-750	+ 46322-750	






Order no. 46320-30 + 46130-730 (phenolic HPL decor doors in Oak Sereno) + 4600-716 (steel side panel)







Box lockers





Ð

Ð


Ð

Steel side panel Can be used for right or left side. One panel required for each visible outer surface per row of lockers.

Height	1850
Depth	500
CSC	1
+ Order no.	+ 4600-716
+ Addtl. charge	



Order no. 46420-40 + 4600-716 (steel side panel)




Ð Base instead of feet, steel design, 100 mm high, approx. 60 mm height adjustment Color (standard) Black gray RAL 7021 1950 Locker height Order no. ...2.-.. + Addtl. charge






Clear openin	ng dimensio 62 x 478 m	depth 525 mm. ns per door: m (H x W x D),		
1. Dimensions door mater		Width	300	400
door mater	iai	Height	1950	
Steel doors		Compartments	1 x 300	1 x 400
Steel dools		CSC	4	5
1		Order no. Price	46510-10	46510-12
		Thee		
		Thickness 13 mm		
+ HPL decor d	ioors	+ Order no.	+ 46110-730	+ 46112-730
ſ		+ Addtl. charge	+ 40110-730	+ 40112-730
+ Glass doors		Thickness 8 mm		
+ Glass doors		+ Order no.	+ 46510-750	+ 46512-750
		+ Addtl. charge	1 10010 / 00	1 10012 700
			or phenolic HPL design +	glass colors if applicable)
	3. Do + Ste	por color (door decor f	Please choose or phenolic HPL design + Please choose Height	glass colors if applicable)
	B can be	por color (door decor f bor color (door	Please choose or phenolic HPL design + Please choose	glass colors if applicable)
	B Dc Sta Ca B rig Or fol	por color (door decor f eel side panel n be used for ht or left side. te panel required r each visible	Please choose or phenolic HPL design + Please choose Height Depth	glass colors if applicable) 487 1850 500
	B Do Ca B rig Or fou	por color (door decor f cel side panel n be used for ht or left side. he panel required	Please choose or phenolic HPL design + Please choose Height Depth CSC	glass colors if applicable)
	B Do Ca B rig Or fou	por color (door decor f eel side panel n be used for ht or left side. ne panel required r each visible ter surface per	Please choose or phenolic HPL design + Please choose Height Depth CSC + Order no.	glass colors if applicable)
	De De Ca Ca Or fol ou rov Ba	por color (door decor f bel side panel n be used for ht or left side. he panel required r each visible ter surface per w of lockers. se	Please choose or phenolic HPL design + Please choose Height Depth CSC + Order no. + Addtl. charge	glass colors if applicable)
	 Dc Dc Ca Brig Or foi ou row 	por color (door decor f eel side panel n be used for ht or left side. te panel required r each visible ter surface per w of lockers. se tead of feet,	Please choose or phenolic HPL design + Please choose Height Depth CSC + Order no.	glass colors if applicable)
	 Ba ins ste high 	por color (door decor f bel side panel n be used for ht or left side. he panel required r each visible ter surface per w of lockers. se	Please choose or phenolic HPL design + Please choose Height Depth CSC + Order no. + Addtl.charge Color (standard)	glass colors if applicable)
	 Ba ins ste high 	por color (door decor f cel side panel n be used for ht or left side. ht or left	Please choose or phenolic HPL design + Please choose Height Depth CSC + Order no. + Addtl.charge Color (standard) Locker height Order no.	glass colors if applicable)

2. Body color





A Lockers with 6 tiers on feet 100 mm high, Clear opening dimensi 285 x 262/362 x 478 r without interior fitting:	ons per door: nm (H x W x D),				
1. Dimensions and door material	Width	300	400	600	
	Height	1950	1950	1950	
Steel doors	Compartments	1 x 300	1 x 400	2 x 300	
Steel doors	CSC	4	5	6	
	Order no. Price	46610-10	46610-12	46610-20	
	FILCE				
+ HPL decor doors	Thickness 13 mm				
	+ Order no.	+ 46110-730	+ 46112-730	+ 46120-730	
	+ Addtl. charge				
+ Glass doors	Thickness 8 mm				
Class doors	+ Order no.	+ 46610-750	+ 46612-750	+ 46620-750	
	+ Addtl. charge				
 Door color (door decor f Steel side panel Can be used for right or left side. One panel required for each visible outer surface per row of lockers. 	Height Depth CSC + Order no. + Addtl.charge		• •	0	
Accessories Additional fittings, loc	:ks	128 - 135	0 0	ø	
_(0	
	PPP			0	
(B)	A	ļ –	• •	o	
۲ ۰			decor doors in	520-32 (phenolic HPL n Danube maple) steel side panel)	



Business Class Z lockers offer you more:

- Optimum use of the interior space for 2 users, with low floor-space requirements
- Lots of storage space! Large, bulky bags or helmets, long garments, shoes, and small objects all have their place
- Excellent view of locker content thanks to the functional interior arrangement
- No troublesome door projections like in conventional Z lockers, meaning there is no risk of injury
- All users have compartments of exactly the same size
- Uniform appearance with a harmonious mix of small and large doors that fits well into any room

4 x order no. 46226-20 as a block with a vectogram




A Z lockers Business Class

on **base** 100 mm high, depth 525 mm, for use in areas that only offer enough space for a double-tier locker but still require long garments to be hung. Every compartment with wardrobe rail and 3 double coat hooks



1. Dimensions and door material	Width	600
	Height	1950
	Compartments	1 x 600
HPL decor doors	CSC	4
	Order no.	46226-20
	Price	



126

Z lockers





4 x order no. 46226-20 as a block with equipment panels and slanted roof



Additional fittings, locks 128 - 135





Security compartment instead of the hat shelf (available as an option)



Electronic online locking systems (available as an option)



Vectogram on an phenolic HPL door (available as an option)




C+P double coat hooks: Oval special changing room rail with twist-proof double sliding hooks. Can support a large load and is very easy to use.









The novel Prefino slanted roof solution: Offers lots of space for functional ideas - from housing ventilation and supply lines to completely integrated indirect

(F) Side cover panel for slanted roof

to be mounted individually or back to back

for locker depth 525

4604-710L Order no. 4604-710R + Addtl. charge

D Smooth

top plate

made of steel, for locker depth 525 mm

for locker width	300	400	600	800	900	1200	1200
for compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300
Order no.	4600-760	4600-761	4600-762	4600-763	4600-764	4600-765	4600-765
+ Addtl. charge							

(E) Slanted roof

empty, for coverage of equipment intalled on-site, for locker depth 525 mm for locker width 300 400 600 900 1200 1200 800 1 x 300 1 x 400 2 x 300 2 x 400 3 x 300 3 x 400 4 x 300 for compartments 4604-10 4604-12 4604-32 4604-20 4604-22 4604-30 4604-32 Order no. + Addtl. charge

E Slanted roof with lighting

with integrated furniture light incl. illuminant, color white, for locker depth 525 mm

We also offer project-specific additional variants, for example with colored light for spa areas or prepared for existing ventilation systems.

Pairs of doors closing

600

....2-..

800

....2-..

in the middle*

Doors with joint lock. addtl. charge per pair

for locker width

Order no.

+ Addtl. charge



				\checkmark			
for locker width	300	400	600	800	900	1200	1200
for compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300
Order no.	-	-	4604-200	4604-220	4604-300	4604-320	4604-320
+ Addtl. charge							

Slope tops

without locker: rear approx. 230 mm high (= nothing can remain on the locker!) for loc for co



for locker width	300	400	600	800	900	1200	1200
for compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300
Order no.	4631-70	4641-70	4632-70	4642-70	4633-70	4643-70	4643-70
+ Addtl. charge							



lighting.

Design variants and accessories

	.	-		
Additional fittings in the locker	Shoe tray made of plastic, removable, with bottom spacers	Coat hanger with laundry net the classic option for pools, spas, and similar facilities	Coat hanger with multi-function hooks as an alternative to the net, for example for areas with special hygiene requirements	Towel hanger movable, for easier drying of large towels
			E	
Order no. Price	4500-707	8501-04251	8501-04	4500-760
Additional fittings on the locker door	Mirror to be mounted by the customer, 300 x 180 mm (H x W)	Towel holder for doors hinged on right	Towel and shower gel holder for doors hinged on right	Flip-flop and shoe holder
for doors made of for compartment width Order no. Price	phenolic HPL and steel 300/400 4500-762	phenolic HPL steel 300 300 4600-7703R 4600-770R	phenolic HPL steel 400 400 4600-7713R 4600-771R	phenolic HPL steel 300/400 300/400 4600-7733 4600-773
Glass	made of safety glass,			
shelf	8 mm thick, addtl. charge per she	Vitas bench	nes 	
shelf	8 mm thick,	Vitas bench		
shelf for compartment width Order no. Price	8 mm thick, addtl. charge per she	Vitas bench		
Order no.	8 mm thick, addtl. charge per she	Vitas bench If see page		
for compartment width Order no. Price Steel shelf	8 mm thick, addtl. charge per she	Vitas bench If see page		
for compartment width Order no. Price	8 mm thick, addtl. charge per she	Vitas bench If see page		

S 6000 CAMBIO and S 7000 PREFINO

Mirror panels

Prefino offers a range of different end face plates to enhance both the function and the appearance of the ends of locker rows, which often go unused.

The panels with integrated mirrors with or without deposit areas, with sockets or lighting, allow for customized options for this space.

They can either be attached to lockers or simply to the walls of a room.







C	End face plate	Locker configuration single-row	Locker configuration back to back
	of the locker row, for lock- er depths of 525 mm		
	For additional mirror panel options, please submit a project-specific inquiry.		
	Width	500	1000
	Height	1850	1850
T	Mirror full surface Order no.	4010-185050	4010-185100
	Price		
	Mirror full surface and 2 LED ligh		
	Order no.		4011-185100
	Price	-	4011-185100
	Mirror full surface, deposit area	Dr	
	Order no.	-	4012-185100




Price

Order no.

Accessories for lockers







Lots of other design and veneering options await you.

We look forward to your project-specific inquiry.



Labeling and orientation

What good is the best changing room facility if you keep getting lost in it? C+P labeling systems put an end to this problem. From simple numbering of steel lockers, to graphically supported signs – you're in the perfect place here! Orientation is more than just a small detail.

For you this means:

You save time and money, avoid unnecessary hassles, and you have a functional and attractive solution from the very start.

Everything from a single source – everything from C+P!

Locker numbering front inscription


- Digit combination with **3** characters each
- Choice of 2 colors (white aluminum or black gray please specify)
- Numbering according to customer requirements (please specify)



Locker row signs


- Digit combination with 7 characters each
- Choice of 2 colors (white aluminum or black gray please specify)
- Numbering from ... to ... according to customer requirements (please specify)





Note: The designs on this page are only examples of our extensive overall range. We look forward to your project-specific inquiry!





Labeling systems



Room orientation with pictograms

- Pictograms for any location
- Choice of 2 colors (white aluminum or black gray please specify)

Order no. 4493-21

- More pictograms on request
- Always includes text

Color	White al	uminum	Black gray	
Order no.	4493	65	449372	
Price				
Here a few exam	ples:			
Locker room	Men's restroom	Shower	Snack bar	
	WC •	Δ		

Further pictograms:


Designation	Order no.*	Designation	Order no.*	Designation	Order no.*
Security compartment	4493-00	First aid	4493-09	Restroom - handicapped persons	4493-17
Changing room - men	4493-01	Sauna	4493-10	Indoor swimming pool	4493-18
Changing room - women	4493-02	Locker room - families	4493-11	Parking lot	4493-19
Reception	4493-03	Locker room - handicapped persons	4493-12	Bare feet	4493-20
Restaurant	4493-04	Tanning booth	4493-13	Restroom - women	4493-22
Gym	4493-05	Outdoor swimming pool	4493-15	Escape route	4493-24
Telephone	4493-08	Restroom	4493-16	Mothers' and babies' room	4493-25


Order no. 4493-06

* Please specify no. 65 for white aluminum or 72 for black gray.

Order no. 4493-23

Order no. 4493-26





Note: The usual designs are shown on this page. Other variants are possible. We look forward to your project-specific inquiry!



Mechanical locking systems

At C+P you can choose from the entire range of mechanical locking systems available on the market. The basic fitting is the cylinder lock and 2 keys. The turning bolt latch for padlocks as well as deposit locks, token-operated locks, or ticket-operated locks can be integrated as well.

Locking no. according to customer requirements Additional charge per lock for cylinder lock (longer delivery time)

+-..99

+ Order no. + Addtl. charge



Safety turning bolts as standard design: It is impossible to destroy the locking mechanism by overwinding because the locking cylinder only engages once the padlock has been removed.



Cylinder lock: The basic fitting for all S 7000 Prefino lockers. Every lock is supplied with 2 keys. Master key systems are available with or without a security certificate for more safety and convenience.



SAFE-O-MAT deposit lock: The best-selling classic among coin-operated locks. Available with traditional master key system or with the innovative PROMAX exchangeable cylinder system.



Coin-operated deposit lock: The alternative for the basic function of the deposit lock.

For electronic locking systems and information about the functionalities of SAFE-O-MAT locks, please see pages 160-165



SAFE-O-MAT number plate: Instead of the sign, silver, please specify numbering (order no. 8501-430).

Accessories





Coin-operated lock: As classic deposit or token-operated lock where the coin is kept as a fee for the use of the locker or compartment.




Ticket-operated lock:

The practical solution often used in public swimming facilities: The admission ticket purchased at the machine serves as a deposit at the same time. Staff IDs and club membership cards can be used for this purpose as well. Please submit a project-specific inquiry.







Safe-O-Mat locks

prepared for clipping on number plates. For a detailed description, see page 165

each lock with 1 key	Twin-coin d	eposit lock	Token-operated lock twin-coin, multi-use	Ticket/ coin-operated lock
	alternatively use of 1 or 2 Euro coins	set to foreign currency**	set to 2 Euro deposit and 1 Euro cash function	-
Order no. + Addtl.charae	4600-731R	4600-732R	4600-733	on request

Accessories for SAFE-O-MAT locks


	Promax replace- ment cylinder	Promax emergency key	Sign	Number plate	Wristband set, nylon
	-	(cylinder exchange key)	for exterior, with sign SAFE-O-MAT	instead of the sign (specify numbering)	with metal buckle, security screw and key pouch (please specify desired color no.' and numbering)
Order no. Unit price	8501-4101	8511-00	included	8501-430	8501-46

Token-operated lock twin-coin, multi-use, for a detailed description, see page 165

Coin-operated deposit lock

Brass cylinder with 1 security key, with "standard" master key function, works with 1 Euro coins

Design	Coin-operated deposit lock	Replacement exchange	eable cylinder, unit price	4.5
Order no.	4600-730	4500-741		C
+ Addtl. charge				1 mm
Design	Master key	Removal key	Spare key	100
Order no.	8511-20	4500-740	8511-22	
Unit price				



** Please specify currency or send sample coin





- 51 black 52 white 53 red
- 55 blue
- 56 gray 61 green 67 yellow