

KEYLESS1

THE PERFECT LOCK

✓ SIMPLE ✓ SUSTAINABLE ✓ SECURE

SIMPLY PERFECT. PERFECTLY SIMPLE.

SIMPLE to install and operate, our combination locks are perfect for assigned or shared use in wet or dry areas.

SUSTAINABLE with a solid metal design and no batteries, wires, or harmful waste these locks qualify for two LEEDV4 credits.

SECURE with anti-pick technology and patented Master Key and Breakaway Knob systems these locks will protect your lockers from forced entry and tampering.




OUR CLIENTS



GLOBAL REVOLUTION



KEYLESS.CO PRODUCTS
ARE NOW USED IN MORE THAN
60
COUNTRIES





KEYLESS¹ INSTRUCTIONS

USER INSTRUCTIONS





See Demonstration
Video

TO LOCK

1. Close the door.
2. Make sure knob is pointing up to , then set any 4-digit code.
3. Turn knob to .
4. Scramble the dials.

TO UNLOCK

1. Re-enter your code.
2. Turn the knob up to .
3. Open the door.
4. Keeping the knob facing , scramble the dials for the next user.




MANAGER INSTRUCTIONS




See Demonstration
Video

MASTER KEY CODE BYPASS

(immediate manager access without code obstruction)



1. Insert the Master Key pointing towards the .
2. Turn the knob to  and access the locker; then close the door while keeping the knob facing .



3. Return the knob to the  position, and remove the key.

**Locker will remain locked and code will remain the same.*

USER CODE RETRIEVAL & RESET

(retrieve forgotten user code and reset code for new user)

1. Insert the Master Key pointing towards the  and turn the knob to .
2. With each dial: spin until it stops. Center middle digit in window.
 - After setting each dial, the last used code will display.

3. Turn the knob back to  and remove the key.
 - Then, return the knob to  and scramble the dials for the next user.

KEYLESS1 FINISH OPTIONS

Premium and custom finishes have longer lead times; warranty subject to availability.
10% color discrepancy, and custom pricing options apply.



MODEL:
KEYLESS1-SN

SATIN NICKEL
STANDARD FINISH



MODEL:
KEYLESS1-SG

SATIN GOLD
PREMIUM FINISH



MODEL:
KEYLESS1-MB

MATTE BLACK
PREMIUM FINISH



MODEL:
KEYLESS1-MW

MATTE WHITE
PREMIUM FINISH

KEYLESS1 ARCHITECTURAL SPECIFICATIONS



MODEL:
KEYLESS1-SN
SATIN NICKEL

The Keyless1 can be custom finished to any brand style with a wide array of customizable finish options. (All specs and features apply)


SPECIFICATIONS

- Shared (temporary) or assigned (permanent) use
- 10,000 possible 4-digit combinations
- Compatible with wood, glass, plastic, phenolic & metal locker doors
- Zero operating expenses - no batteries or wires
- LEED V4 - adds 2 LEED credits
- 5-year comprehensive warranty
- One Master Key has 3 functions: bypasses the code, resets the lock, and retrieves the code - all conveniently from the front
- Lock features reprogrammable-cylinder. When Master Key is lost or stolen, new Master Key is issued. Simply insert new Master Key and cylinder is reprogrammed - patented solution
- Anti-pick and tamper resistant
- Self-correcting, Breakaway Knob protects against forced entry - patented solution
- IP59K - Complete dust and water resistance
- Strong 100% metal for long-term and heavy-use - no plastic components.
- The same lock model with ADA lever available


ADDITIONAL FEATURES

- Sleek and modern design
- Standard, premium & custom finishes
- Large, clear combination digits, double the size of any competitors (5mm tall), that don't fade
- Sufficient digit and dial spacing that prevents accidental lockouts
- Strongest latch (cam) in the industry and cannot be forced unlocked
- Cam latch type (standard offsets: 25mm, 32mm, and 39mm - addtl available)
- Simple 2 screw installation
- Surface mounted
- Accommodates doors 1-32mm thickness
- Custom rectangular routing needed
- Ergonomic non-slip grip
- One step twist-&-pull operation
- Knob rotates 90 degrees (from 12 o'clock to 3 o'clock) on left and right hand locks
- Latch is simply interchangeable to left or right
- Clear locked and unlocked status indicator is visible from a distance
- **Immediate live response during business hours - no run around.** (sos@keyless.co or 972.331.2770)


LOCK ROUTING



TOP VIEW 15-32mm THICK DOOR



TOP VIEW 1-11mm THICK DOOR



ADA OPTION AVAILABLE

Manufactured By:

KEYLESS.CO

1825 W. Walnut Hill Ln., Suite 102, Irving, TX 75038, USA | +1 972-331-2770 | info@keyless.co | www.keyless.co

KEYLESS1-ADA ARCHITECTURAL SPECIFICATIONS



MODEL:
KEYLESS1-SN-ADA
SATIN NICKEL

The Keyless1-ADA can be custom finished to any brand style with a wide array of customizable finish options. (All specs and features apply)

SPECIFICATIONS


- Meets the 2010 and 2012 Standards for Accessible Design
- The same lock model with ADA lever available
- Integrated lever serving as a pull
- Shared (temporary) or assigned (permanent) use
- 10,000 possible 4-digit combinations
- Compatible with wood, glass, plastic, phenolic & metal locker doors
- Zero operating expenses - no batteries or wires
- LEED V4 - adds 2 LEED credits
- 5-year comprehensive warranty
- One Master Key has 3 functions: bypasses the code, resets the lock, and retrieves the code - all conveniently from the front
- Lock features reprogrammable-cylinder. When Master Key is lost or stolen, new Master Key is issued. Simply insert new Master Key and cylinder is reprogrammed - patented solution
- Anti-pick and tamper resistant
- Self-correcting, Breakaway Knob protects against forced entry - patented solution
- IP59K - Complete dust and water resistance
- Strong 100% metal for long-term and heavy-use - no plastic components.

ADDITIONAL FEATURES


All additional features of the Keyless1-ADA are exactly the same as the Keyless1 non-ADA.

2010 & 2012 ADA STANDARDS FOR ACCESSIBLE DESIGN REQUIREMENTS


- 5% of lockers and their operable parts, the locks, must meet ADA specifications.
- Locks shall be operable with one hand.
- Shall not require tight grasping, pinching, or twisting of the wrist to operate.
- Shall have a force required to activate of 5lbs [22.2N] maximum.
- Locks shall be installed maximum 48.00"/1220mm from the floor surface.




LOCK ROUTING



TOP VIEW 15-32mm THICK DOOR



TOP VIEW 1-11mm THICK DOOR



Manufactured By:

KEYLESS.CO

1825 W. Walnut Hill Ln., Suite 102, Irving, TX 75038, USA | +1 972-331-2770 | info@keyless.co | www.keyless.co